HPL Lockers

Innovating Decorative Borads




Contents

HPL Lockers



- **01** Contents
- 02 Profile
- 03~04 Why DEBO Lockers
- 05~06 L126 Series
- 07~08 L138 Series
- 09~10 Mini Lockers
- 11~12 Mailbox
- 13~14 Benches
- 15~17 Components
 - 18 Design and Specification
- 19~20 Design Combination
- 21~22 Project references



Profile

DEBO HPL Lockers are made of 100% original DEBO High Pressure Compact Laminate (Solid Phenolic Panel) that is solid, attractive, safe and extremely durable. They are featured and outstanding lockers to secure your leisure life.

Due to the high quality of the panels which are excellent in resisting to water, corrosive substances, impact and mechanical stresses, DEBO lockers are suitable and often required for areas of fitness clubs, sauna rooms, SPA houses, swimming pools, Aqua Centers and sport centers. However, they are also widely used in schools, hospitals, shopping malls and hotels.

DEBO provides a total service of design with extensive range of style and specification.



Why DEBO® Compact Laminate Lockers System?

Item	DEBO HPL Lockers	MDF Lockers	Solid Wood Lockers	Plastic Lockers	Steel Lockers
Material	DEBO Compact laminate, black core	MDF, chipboard, plywood with HPL surface	Solid wood	PVC / ABS	Steel plate
Edge	Black core, No edge sealing, radiused edge	PVC banding, easy to detach	Veneer banding or painting	No sealing, solid style	Sharp edge, thin panels
Design	Available in plain, wood, metal colors. Solid with strong visual effect	Various colors, but not solid	Common in woodgrain color, Monotonous visual effect	Color integration in face and edge. Only available in few plain colors	Monotonous visual effect
Features	Extremely strong resistant to humidity / water / fire /pest bacterias, impact / scratches. Highly safe	Non waterproof / Fire proof / Bacteria proof / Impact proof. Safe	Non fire, bacterias, pest and scratches resistant, water proof after painting, Safe	Extremely strong resistant to humidity / water / bacteria. Non impact proof / heat proof / fire proof / scratches proof. Low safety	Non impact resistant Easy to rust. Low safety
Durability	5-10 years and even life long	1-3 years	3-5 years	2-3 years	2-3 years
Eco-performance	Low formaldehyde. Recyclable	Green & Recyclable	Not eco-friendly, recyclable	Green & Recyclable	Green & Recyclable
Maintenance	Easy to clean, no special maintenance required	Regular maintenance for insect pest, mildew and water proof are required	Regular maintenance for insect pest, mildew and water proof are required	Hard to clean and maintain	Hard to clean and maintain
Installation	Well-designed for easy installation	Low weight, easy to install	Complicated production procedures, difficult to install	Light weight, easy to install	Light weight, easy to install
Application Environment	Wet or Dry, Cold or Hot interior environment	Limited to dry areas	Limited to dry, and cold areas	Limited to dry, wet and cold areas	Limited to dry, cold, and hot areas
Application Areas	Schools / Hospitals / Swimming pools / Stadiums / Gym clubs / Sauna clubs High-end Commercial buildings / Starls hotels / Leisure clubs / Apartments	Schools / Hospitals / Stadiums / Gym clubs etc.	Premium Hotels, Sauna clubs, Gym clubs	Factories, Schools, Supermarkets, Any low budget projects.	Factories, Schools, Supermarkets, Offices, Any low budget projects



L126 Series

Panels:

DEBO* Compact laminate

Door: 12mm.

Top / Bottom / End: 12mm Side / Shelf: 12 mm. Rear: 3-6 mm.

Fittings:
Hinge: Customized stainless steel hinge
Hy126 self closing.

Screw: Stainless steel cross head screws. Connection: Aluminum profile.






Panels:

DEBO° Compact laminate
Door / End: 12mm
Top / Bottom: 8mm
Side / Shelf: 8mm
Side / Back: 3 mm.

Fittings: Hinge: Customized aluminum hinge HY138 self closing. Screw: Stainless steel cross head screws. Connection: Aluminum frame profile.

L138 Series





Mini Lockers

DEBO® Mini Lockers are designed for valuable items such as mobile phones. wallets, sunglasses, keys etc. In leisure clubs, and commercial office buildings, Mini Lockers are suitable for storage of small personally belongings that are safe, durable, and attractive.



Size:

Customized on request.

Panels:

DEBO° Compact Laminate

Door/ Top / Bottom / Shelf: 12mm

Side / End: 18mm Back: 3 mm.


Fittings:

Hinges: Customized stainless steel hinge HY126 self closing.

Screws: Stainless steel cross head screws.

Connection: Aluminum profile.





Mailbox

DEBO® Lockers for mailbox use are extremely visual impact. Comparing to traditional steel ones, DEBO mailboxes are designed to meet the needs of demanding customer requirements in terms of quality and design. This new system is specially demanded by high-end office buildings and apartments.

L138 System

Panels:

DEBO[®] Compact laminate.

Door/ End: 12mm Top / Bottom / Shelf: 8mm Side / Back: 3 mm.

Fittings:


Hinges: Customized aluminum hinge HY138 self closing.

Screws: Stainless steel cross head screws. Connection: Aluminum frame profile.

Size:

Customized on request.





Benches

Benches are essential elements in changing rooms. **DEBO**° offers many types of benches with different fittings and design.

Panels: DEBO® Compact laminate 12mm

Fittings: Available in stainless steel, mental with coating, aluminum profile.

Style:

Free standing, One side, Two-sides, and Post-forming.


Dimension:

Standard size is 400mmW x 400mmH x 1800mmL. Length is available in 1.2M, 1.5M, 1.8M and 2.4M.










Components

Wrist bands




Locksets




Clothes hooks / rods




Numbering plates




Footing




Roof



Ventilation



Design and Specification



DEBO HPL Lockers L126 and L138 Series

Each locker column is to be 300mm wide x 450mm deep x 1800mm high plus 100mm leg plinth, using aluminum profiles or frame for the connection. Hinges have Stainless Steel and Aluminum respectively for L126 and L138.

Material: DEBO Solid Grade Compact Laminate Door color: Range of colors from DEBO color chart Edge detail: Radius edge with rounded corners

Body color: DEBO #1932 Antique White. Can be same as door panel on request.


Lockset: Cam lock, coin lock, digital lock, hasps as specified.


Rod / Hanger: Either rod or hanger is used according to tier style.

Plinth: Laminated platform facing to floor for a group of locker columns. 100mm or 150mm height


Numbering plate: DEBO PVC numbering plates. But available In Engraved, Laser.

Design Combination





	1 Column	2 Columns	3 Columns	4 Columns	
3 Tier	1800mm 1800mm				
Description	3 tiers locker unit. Large bag storage. Such as schools, shopping malls, rail stations, etc.				



	1 Column	2 Columns	3 Columns	4 Columns	
6 Tier	1990mm 1990mm				
Descripti	on 6 tiers locker u	6 tiers locker unit. Small bag storage. Such as supermarket, skating rinks and bowling alleys.			

	1 Column	2 Columns	3 Columns	4 Columns
Z shape	1300mm 1300mm			5 5 8 8
Description	Z-Shape & 2 tiers. Offer the space for clothing hook which are suitable for hospital staff, nurses and athletic clubs.			

Project References

Medical Complex, Saudi Arabia.

One of the most remarkable projects that DEBO has supplied is a Medical Complex where hospitals, universities, research institutes are integrated in a huge park. DEBO completed more than 20,000 doors for staff changing rooms.













Prime Minister's Office, Brunei

The most powerful lockers project that DEBO has supplied is the PMO building in Brunei Darussalam. It is a complete new office building for the executives and management of the country Brunei. DEBO finished about 1,000 doors for executives? changing rooms and monitored installation on site.

RISEWELL

www.risewell.cn www.decorativeboards.com

Marketing Center 8th floor, Block B, Zhongyin Plaza, Cai Tian Road, Futian District, Shenzhen, Guangdong Province, China, 518035

Telephone +86 755 29822199

+86 755 28115670

sales@risewell.cn

Industrial Park
No.3, Pusha South Rd,
Tangxia Town, Dongguan,
Guangdong Province,
China, 523718