



International Judo Federation

Official Partner of the 2021-2024 Sports
Season - International Judo Federation (IJF)



Impulse (Qingdao) Health Tech Co., Ltd.
Add: No. 369 Huashan 2nd road, Jimo, Qingdao, China
Tel: 0086 532 8793338 or 0086 532 8300616
Fax: 0086 532 8395819
<https://www.impulseth-tech.com>
<http://www.impulseth-tech.com>
E-mail: sales@impulseth-tech.com



202409 V3



INTRODUCTION

In the early 1990s, Impulse began the production of fitness equipment. After nearly 30 years of experience accumulation, Impulse (Qingdao) Health Tech Co., Ltd. was established in 2004, focusing on the research, development, manufacturing and sales of fitness equipment. In September 2017, Impulse did IPO successfully in Shenzhen stock market. It achieved breakthrough in capital market and brought more financial support to R&D and manufacture of Impulse.

Our products cover both business and home user core demand. We provide innovative and high-quality indoor and outdoor products, including cardio equipment, strength equipment, functional training and rehabilitation training equipments, also with intelligent and innovative home use products. The forward-looking design concept and user demand focused are the features of Impulse product development. We are committed to providing the desired products and services at a sincere price, and the products have been sold across more than 200 countries and regions, and created global marketing and after-sale systems.

Impulse is a leading supplier in health industry. A perfect product and service system has been built in the fields of fitness equipment R&D, manufacturing, marketing and sales, club operation and health management. The Impulse new industrial park is under construction, the first phase of the project has a total investment of \$232 million USD and a total construction area of 168,995.98 square meters. It is expected that the annual output value of the project can be \$620 million USD after the project reaches full capacity.

We believe that the trust of customers comes from our pursuit of product excellence and exploration of customer needs. Therefore, Impulse is going to continue following the concept of customer first and quality priority in order to serve our business partners, and become reliable fitness expert trusted by global customers.





CARDIO

R Series



Introducing the All-new Touchscreen System by Impulse Fitness


The Initial Interface of the All-new Touchscreen System by Impulse, navigate through various functions with ease, making your workout more engaging and enjoyable.

*The All-new Touchscreen System is currently only available for the RT970 and ACA850 models.



Full Training Data Overview

Access a comprehensive display of real-time training data directly on the exercise interface.



Quick Return to Main Screen

Easily navigate back to the main screen for additional functionalities and operations. The exercise interface minimizes to become a compact module on the main screen, giving users the flexibility to return at any time.



Simplified and Practical Target Programs

Built-in Time, Distance, and Calories Target Programs for Effortless Workout Customization and Real-time Monitoring.



Diverse Training Programs & User-Friendly Customization

- Benefit from a variety of pre-set training programs designed to target different fitness objectives.
- Enjoy the freedom to customize your training intensity based on your unique requirements and physical condition.



Authentic Assessment Standards

- Challenge yourself with Fit Test modeled after the stringent criteria used by the U.S. military and law enforcement agencies.
- Experience a comprehensive evaluation that mirrors the requirements of real-world physical assessments.



Diverse Entertainment and Training Apps for a Vibrant Workout

- Access a range of entertainment apps directly from the treadmill's interface.
- Seamless Web Browsing for a Connected Workout Experience.
- Built-In Common Training Apps for a Tailored Workout Experience.

Direct Shortcut to Entertainment Programs

Choose from a variety of entertainment programs directly from the exercise interface.




Seamless Screen Mirroring for Android and iOS

- Follow simple on-screen instructions to initiate the screen mirroring process. Experience the flexibility to connect and mirror your device, ensuring you never miss out on your favorite shows or content while staying committed to your training routine.

Bluetooth Headphone & Heart Rate Device Integration

- To enhance user convenience, our treadmill is equipped with distinct ports at the top of the screen for connecting both Bluetooth headphones and heart rate devices.
- The interface provides a user-friendly experience for pairing and managing connected devices.



Multilingual Flexibility for a Global Experience

- At the top of the screen, easily accessible buttons allow users to directly switch between 10 supported languages.
- The language selection process is straightforward, ensuring a hassle-free experience.

Immersive Virtual Runs with Realistic Terrain

- The visuals adjust in real-time based on your running speed, providing a dynamic and authentic experience.
- The treadmill's incline automatically adjusts to mimic the natural terrain of the chosen route.





RT970
TREADMILL

Model	RT970
Certification	CE,ETL,EN957
Max User Weight	180kg/396lbs
AC/DC	AC
Power Requirement	15A
Electrical Receptacle & Plug	220-240V
Motor Power	4HP
Motor Peak Power	6HP
Speed range	1-25km/h (1-15mph)
Incline range	0-15%
One Touch Buttons	3%,6%,9%,12%(Incline);3,6,9,12(Speed)
Handle bar Control	Yes
Console Display	21.5" TFT
Console Readouts	Heart rate, %Heart rate, Time in zone, Average Speed, Pace, Time Elapsed, %Time Remaining, Calories, Calories/Hour, Distance, Steps, Speed, Incline
Language	EN/CN/FR/DE/ES/PT/IT/RU/JP/KR
Metric/English	Metric/English
Touch Screen	Yes
Entertainment	Multiple built-in apps
Programs	Cardio, Random, Fatburn, Hills, Interval, HR, Fit test
HR Monitor	Contact&Telemetry
Roller Diameter	Front:88.9mm/3.5" Back:76mm/3"
Deck	Reversible 1"Deck
Running surface	558 x 1524(mm)/22" x 60"
Belt Thickness	1.6mm
Belt Brand	Habasit
Step-up Height	245mm"
Suspension System	Puiflex Commercial Suspension System
Accessory Storage	IPAD/Phone Holder/Magazine Holder/2 Bottle Holders
Charging Unit	Wireless
USB Data Exchange	Yes
Fan	Yes (3 speed level)
Multi-language Display	Yes
Gross Weight	266.8kg/588.2lbs
Net Weight	203kg/447.5lbs
Product Dimension	2078x950x1569(mm)/ 81.8" x 37.4" x 61.8"



RU970
UPRIGHT BIKE



RR970
RECUMBENT BIKE



RE970
ELLIPTICAL

Model	RU970	RR970	RE970
Certification	CE	CE	CE
Max User Weight	180kg/396lbs	180kg/396lbs	160kg/352lbs
Electrical Receptacle & Plug	220V-240V	220V-240V	220V-240V
Power Supply	/	/	60W
Brake Type	Self powered hybrid brake	Self powered hybrid brake	Self Powered Hybrid Brake
Resistance Brake Power	450W	450W	350W
Resistance Levels	25	25	25
Electrical Receptacle & Plug	/	/	Yes
Stride Length	/	/	533mm/21"
Crank	Oversized	Oversize	/
Pedal	Oversize dual-sided pedals with integrated straps	Oversize dual-sided pedals with integrated straps	Pedal with cushioned gel pads
Pedal Spacing	/	/	1"
Step-up Height	/	/	190mm/7.5"
Flywheel Weight	9kg	9kg	/
Handle bar Control	3 riding positions, with contact heart rate grips and on-your-finger-tips control	Ergonomically designed seat-side handles with contact heart rate grips on-your-finger-tips control	Handle bar Control; ABS+TPU coated handlebars
Console Display	15.6" TFT	15.6" TFT	15.6" TFT
Console Readouts	Resistance, time, distance, calories, HR, RPM	Resistance, time, distance, calories, HR, RPM	Resistance, time, distance, calories, HR, RPM
Language	EN/CN/FR/DE/ES/PT/IT/RU/JP/KR	EN/CN/FR/DE/ES/PT/IT/RU/JP/KR	EN/CN/FR/DE/ES/PT/IT/RU/JP/KR
Metric/English	Metric&English	Metric&English	Metric&English
Entertainment	Multiple built-in apps	Multiple built-in apps	Multiple built-in apps
Programs	5	5	5
HR Monitor	Contact&Telemetry	Contact&Telemetry	Contact&Telemetry
Accessory Storage	Yes	Yes	Yes
Charging Unit	Wireless	Wireless	Wireless
USB Data Exchange	Yes	Yes	Yes
Multi-language Display	Yes	Yes	Yes
Gross Weight	87.8kg/193.6lbs	106.5kg/234.8lbs	174.9kg/385.6lbs
Net Weight	67.5kg/148.8lbs	88.6kg/195.3lbs	118kg/260.1lbs
Product Dimension	597x1092x1505(mm) 23.5" x 43.0" x 59.3"	638x1651x1366(mm) 25.1" x 65.0" x 53.8"	742x2113x1610(mm) 29.2" x 83.2" x 63.4"



RT750
TREADMILL



RT700
TREADMILL

Model	RT750	RT700
Certification	CE,ETL,EN957	CE,ETL,EN957
Max User Weight	180kg/396lbs	180kg/396lbs
AC/DC	AC	AC
Power Requirement	15A	15A
Electrical Receptacle & Plug	220-240V	220-240V
Motor Power	4HP	4HP
Motor Peak Power	6HP	6HP
Speed range	0.6-25km/h (0.6-15mph)	0.6-25km/h (0.6-15mph)
Incline range	0-15%	0-15%
One Touch Buttons	3%,6%,9%,12%(Incline); 3,6,9,12(Speed)	2%,5%,8%,(Incline);3,6,9(Speed)
Handle bar Control	Yes	Yes
Console Display	7 LED + Matrix 16×32	7 LED + Matrix 16×40
Console Readouts	Heart rate, %Heart rate, Time In zone, Average Speed, Pace, Time Elapsed, %Time Remaining, Calories, Calories/Hour, Distance, Steps, Speed, Incline	Heart rate, Time Elapsed, Calories, Distance, Speed, incline, 1/4 mile or 400 meters motivational track
Metric/English Programs	Metric/English Manual, Cardio, Interval Burn, Calories Heart Rate, Advanced	Metric/English Manual, Cardio, Interval Burn, Calories Heart Rate, Advanced
HR Monitor	Contact&Telemetry	Contact&Telemetry
Roller Diameter	Front:88.9mm/3.5" Back:76mm/3"	Front:88.9mm/3.5" Back:76mm/3"
Deck	Reversible 1"Deck	Reversible 1"Deck
Running surface	558×1524(mm)/22"×60"	558×1524(mm)/22"×60"
Belt Thickness	1.6mm	1.6mm
Belt Brand	Habasit	Siegling
Step-up Height	245mm	245mm
Suspension System	Pulllex™ Commercial Suspension System	Pullflex™ Commercial Suspension Syste
Accessory Storage	iPAD/iPhone Holder/Magazine Holder/2 Bottle Holders	iPAD/iPhone Holder/Magazine Holder/2 Bottle Holders
USB Charger	Yes	No
Fan	Yes (3 speed level)	Yes (3 speed level)
Multi-language Display	Yes	No
Gross Weight	Box1: 232.2kg/510.8lbs Box2: 41.5kg/91.3lbs	Box1: 238.0kg/523.6lbs Box2: 35.0kg/77.0lbs
Net Weight	Box1: 176.7kg/388.7lbs Box2: 30.5kg/67.1lbs"	Box1: 179.1kg/394.0lbs Box2: 27.5kg/60.5lbs
Product Dimension	2078×950×1590(mm)/ 81.8"×37.4"×62.6"	2078×875×1513(mm)/ 81.8"×34.4"×59.6"
Packing size	Box 1: 2230×970×480(mm)/ 87.8"×38.2"×18.9" Box 2: 1145×1105×390(mm)/45.1" ×43.5"×15.4"	Box 1: 2230×970×480(mm)/ 87.8"×38.2"×18.9" Box 2: 975×965×280(mm)/ 38.4"×38.0"×11.0"
40HQ	/	51Sets
40GP	40Sets	42Sets






RU700
UPRIGHT BIKE



RU500
UPRIGHT BIKE

Model	RU700	RU500
Certification	ETL/CE/EN957	ETL/CE/EN957
Max User Weight	180kg/396lbs	160kg/352lbs
Electrical Receptacle & Plug	No	No
Brake Type	Self Powered Hybrid Brake	Self Powered Hybrid Brake
Resistance Brake Power	300W	300W
Resistance Levels	25	20
Crank	Oversized	Standard
Pedal	Oversize dual-sided pedals with integrated straps	Single sided weighted pedal
Flywheel Weight	9kg	8kg
One Touch Buttons	No	No
Handle bar Control	3 riding positions, with contact heart rate grips and on-your-finger-tips control	3 riding positions, with contact heart rate grips
Console Display	6 Windows*Dot Matrix	7Windows*Dot Matrix
Console Readouts	Distance, time, speed, watt, calories, heart rate	Distance, time, speed, watt, calories, RPM, heart rate
Metric/English	Metric&English	Metric&English
Touch Screen	No	No
Entertainment (TV, Wifi etc.)	No	No
Programs	7	11
HR Monitor	Contact&Telemetry(polar)	Contact&Telemetry
Accessory Storage	Yes	Yes
USB Charger	No	No
USB Data Exchange	No	No
Multi-language Display	No	No
Special Features	On-your-finger-tips, Ergonomically designed handle bars, Two-sided pedals, K-O-P-S biomechanics, Easy to service	On-your-finger-tips, Ergonomically designed handle bars, Two-sided pedals, K-O-P-S biomechanics, Easy to service
Gross Weight	84.8kg/186.6lbs	81.0kg/178.2lbs
Net Weight	67.0kg/147.4lbs	68.0kg/149.6lbs
Product Dimension	1093×602×1493(mm)/ 43.0"×23.7"×58.8"	1093×660×1492(mm)/ 43.0"×26.0"×58.7"
Packing Size	1160×405×870(mm)/ 45.7"×15.9"×34.3"	1160×405×870(mm)/ 45.7"×15.9"×34.3"
40HQ	1725sets	1725sets





RR700
RECUMBENT BIKE




RR500
RECUMBENT BIKE

Model	RR700	RR500
Certification	ETL/CE/EN957	ETL/CE/EN957
Max User Weight	180kg/396lbs	160kg/352lbs
Electrical Receptacle & Plug	No	No
Brake Type	Self Powered Hybrid Brake	Self Powered Hybrid Brake
Resistance Brake Power	300W	350W
Resistance Levels	25	20
Crank	Oversized	Standard
Pedal	Oversize dual-sided pedals with integrated straps	Single sided weighted pedal
Flywheel Weight	9kg	9kg
One Touch Buttons	No	No
Handle bar Control	ErgoNomically designed seat-side handles with contact heart rate grips on-your-finger-tips control	ErgoNomically designed seat-side handles with contact heart rate grips on-your-finger-tips control
Console Display	6 Windows+Dot Matrix	7Windows +Dot Matrix
Console Readouts	Distance, time, speed, watt, calories, heart rate	Distance, time, speed, watt, calories, RPM, heart rate
Metric/English	Metric&English	Metric&English
Touch Screen	No	No
Entertainment (TV, Wifi etc.)	No	No
Programs	7	11
HR Monitor	Contact&Telemetry(polar)	Contact&Telemetry
Accessory Storage	Yes	Yes
USB Charger	No	No
USB Data Exchange	No	No
Multi-language Display	No	No
Special Features	On-your-finger-tips, Ergonomically designed handle bars, Two-sided pedals, K-O-P-S biomechanics, Easy to service, walk-through design	On-your-finger-tips, Ergonomically designed handle bars, Two-sided pedals, K-O-P-S biomechanics, Easy to service, walk-through design
Gross Weight	104.6kg/230.1lbs	100.7kg/222lbs
Net Weight	83.0kg/182.6lbs	79.0kg/173.8lbs
Product Dimension	1651 X 638 X 1383(mm)/ 65.0" X 25.1" X 54.4"	1651 X 638 X 1383(mm)/ 65.0" X 25.1" X 54.4"
Packing Size	1615 X 370 X 850(mm)/ 63.6" X 14.6" X 33.5"	1615 X 370 X 850(mm)/ 63.6" X 14.6" X 33.5"
40HQ	129Sets	129Sets



RE700
ELLIPTICALRE500
ELLIPTICAL

Model	RE700	RE500
Certification	CE,ETL,EN957	CE,ETL,EN957
Max User Weight	160kg/352lbs	160kg/352lbs
Electrical Receptacle & Plug	No	No
Brake Type	Self Powered Hybrid Brake	Self Powered Hybrid Brake
Resistance Brake Power	350W	350W
Resistance Levels	25	20
Electrical Receptacle & Plug	No	No
Incline range	No	No
Stride Length	533mm/21"	533mm/21"
Pedal	Pedal with cushioned gel pads	Pedal with cushioned gel pads
Pedal Spacing	1"	1"
Step-up Height	190mm/7.5"	190mm/7.5"
One Touch Buttons	No	No
Handle bar	Handle bar Control; ABS+TPU coated handlebars	PVS handlebars
Console Display	6 Windows+Dot Matrix	7 Windows+Dot Matrix
Console Readouts	Speed, Time, Calorie, RPM, Distance, Heart rate, Resistance, etc.	Speed, Time, Calorie, RPM, Distance, Heart rate, Resistance, etc.
Metric/English	Metric&English	Metric&English
Touch Screen	No	No
Entertainment (TV, Wifi etc.)	No	No
Programs	7	11
HR Monitor	Contact&Telemetry	Contact&Telemetry
Accessory Storage	Cup holder, Magazine Holder, Phone Holder	Cup holder, Magazine Holder, Phone Holder
USB Charger	No	No
USB Data Exchange	No	No
Multi-language Display	No	No
Special Features	On-your-finger-tips, Ergonomically designed handle bars, Easy to service	On-your-finger-tips, Ergonomically designed handle bars, Easy to service
Gross Weight	174.5kg/383.9lbs	175.4kg/385.9lbs
Net Weight	118.1kg/259.8lbs	119.4kg/262.7lbs
Product Dimension	2180×742×1610(mm)/ 85.8"×29.2"×63.4"	2180×742×1610(mm)/ 85.8"×29.2"×63.4"
Packing Size	2220×650×1090(mm)/ 87.4"×25.6"×42.9"	2220×650×1095(mm)/ 87.4"×25.6"×43.1"
40GP	365Sets	365Sets




P Series





PT300
TREADMILL

Model	PT300
Certification	CE,ETL,EN957
Max User Weight	150kg/330lbs
AC/DC	AC
Power Requirement	15A
Electrical Receptacle & Plug	220-240V
Motor Power	3HP
Motor Peak Power	4.5HP
Speed range	0.6-20km/h (0.6-12mph)
Incline range	0-15%
One Touch Buttons	2%,4%,6%,8%,10%,12%(incline), 2,4,6,8,10,12(Speed)
Console Display	6 LED + Matrix 16 x 40
Console Readouts	Heart rate, Time Elapsed, Calories, Distance, Speed, incline, 1/4 mile or 400 meters motivational track
Metric/English	Metric&English
Programs	5 Preset, 3 Targets, 2 User, 3 HR
HR Monitor	Contact&Telemetry
Roller Diameter	Front:88.9mm/3.5" Back:76mm/3"
Deck	Reversible 1"deck
Running surface	545 x 1524(mm) / 21.5" x 60"
Belt Thickness	2.3mm
Step-up Height	260mm
Suspension System	Pullflex® Commercial Suspension System
Accessory Storage	Phone Holder/ 2 Bottle Holders
Fan	Yes (3 speed level)
Gross Weight	Box1: 223.8kg/492.4lbs Box2: 39.5kg/86.9lbs
Net Weight	Box1: 180.2kg/396.4lbs Box2: 30.9kg/68.0lbs
Product Dimension	2136 x 934 x 1464(mm)/84.1" x 36.8" x 57.6"
Packing Size	Box 1: 2260 x 930 x 550(mm)/89.0" x 36.6" x 21.7" Box 2: 1265 x 1050 x 350(mm)/49.8" x 41.3" x 13.8"
40HQ	41Sets
40GP	36Sets



AC4050
TREADMILL



Model	AC4050
Certification	CE
Max User Weight	150kg/330lbs
AC/DC	AC
Power Requirement	15A
Electrical Receptacle & Plug	220-240V
Motor Power	3HP
Speed range	1-22km/h
Incline range	0 to 15%
One Touch Buttons	3%,6%,9%(Incline);3,6,9(Speed)
Console Display	21.5" Touch Screen
Language	EN/CN/FR/DE/ES/PT/IT/RU/JP/KR
HR Monitor	Contact&Telemetry
Roller Diameter	Front:88.9mm/3.5" Back:76mm/3"
Deck	Reversible 1"Deck
Running surface	545 X 1524(mm) / 21.5" X 60"
Belt Thickness	2.3mm
Step-up Height	260mm
Suspension System	Pullflex Commercial Suspension System
Accessory Storage	iPAD/iPhone Holder/Magazine Holder/ 2 Bottle Holders
Charging Unit	Wireless
Fan	Yes (3 speed level)
Product Dimension	2102 X 950 X 1593(mm) 82.7" X 37.4" X 62.7"
Packing size	Box 1: 2260 X 930 X 490(mm) 89.0" X 36.6" X 19.3" Box 2: 1145 X 1095 X 380(mm) 45.1" X 43.1" X 15.0"
40HQ	44Sets
40GP	40Sets



AC4000
TREADMILL

The 18.5-inch large console created by the new design language features convenient operation and entertainment functions. The 60 degrees tilted panel provides the best viewing Angle and comfortable experience.



50x185x2.5mm oversized column is adopted to ensure the stability of the console during movement, when the speed reaches 20km/h, the vibration amplitude of the motor is less than 0.003mm.



The motor cover adopts a flat design to make it more integrated with the frame of the running platform and more concise and hardcore in appearance. On this basis, the column cover is added and the lower end of the column is wrapped in the motor cover to make the column and running platform perfectly integrated.



Considering the safety of the product, the manufacturing process of the edge strip is upgraded from PVC extrusion to ABS injection molding, which increased the friction coefficient and enhanced the anti-slip performance.

Model	AC4000
Certification	CE
Max User Weight	150kg/330lbs
AC/DC	AC
Power Requirement	15A
Electrical Receptacle & Plug	220-240V
Motor Power	3HP
Speed range	1-22km/h
Incline range	0 to 15%
One Touch Buttons	3%, 6%, 9% (Incline); 3, 6, 9 (Speed)
Console Display	LED
Console Readouts	Time, Avg Speed, Heart Rate, Distance, Steps, Calories, Cal/Hour, Speed, Incline, 1/4 mile or 400 meters motivational track
Metric/English	Metric/English
Programs	Manual, Cardio, Heart Rate, Interval, Burn Calories, Target
HR Monitor	Contact&Telemetry
Roller Diameter	Front:88.9mm/3.5" Back:76mm/3"
Deck	Reversible 1" Deck
Running surface	545x1524(mm) / 21.5" x 60"
Belt Thickness	2.3mm
Step-up Height	260mm
Suspension System	Pullflex Commercial Suspension System
Accessory Storage	IPAD/Phone Holder/Magazine Holder/ 2 Bottle Holders
USB Charger	Yes
Fan	Yes (3 speed level)
Gross Weight	Box1: 231kg/508.2lbs Box2: 35.8kg/78.8lbs
Net Weight	Box1: 173kg/380.6lbs Box2: 30kg/66lbs
Product Dimension	2102x950x1592(mm) 81.7"x37.4"x62.6"
Packing size	Box 1: 2230x970x480(mm) 87.8"x38.2"x18.9" Box 2: 1145x1105x390(mm) 45" x43.5" x15.4"
40HQ	44Sets
40GP	40Sets

AC2990 TREADMILL



The 3D fixed upright can easily eliminate the abnormal sound and console shaking along with the running. At the same time, move the upright to the front can create a wide running environment and eliminate visual obstacles.



Taking full consideration of the commercial long running situation, the dustproof heat dissipation holes are designed in the console and the motor cover to dissipate heat from the electrical part and prevent the aging problem.



The platform structure was upgraded on the basis of AC2970 to improve the stability and safety. The replacement of a more advanced console surface material is all about enhancing the product's durability.



Ergonomic handle design; more quick buttons and a larger phone/tablet holder for a more comfortable user experience.

Model	AC2990
Max User Weight	150kg/330lbs
AC/DC	AC
Power Requirement	15A
Electrical Receptacle & Plug	220-240V
Motor Power	3HP
Motor Peak Power	4.5HP
Speed range	1-20km/h
Incline range	0 to 15%
One Touch Buttons	2%, 4%, 6%, 8%, 10%, 12% (Incline); 2, 4, 6, 8, 10, 12 (Speed)
Console Display	6 LED + Matrix 8 x 16
Console Readouts	Time, Avg Speed, Heart Rate, Distance, Steps, Calories, Cal/Hour, Speed, Incline.
Metric/English	Metric&English
Programs	Manual mode; Target mode: time, distance and calories; Standard mode: P1-P5; User mode: U1 and U2; Heart rate mode: HR1, HR2, HR3
HR Monitor	Contact
Roller Diameter	Front: 76.5mm/3" Back: 76.5mm/3"
Deck	Reversible 1" Deck
Running surface	560 x 1524 (mm) / 22.0" x 60.0"
Belt Thickness	2.3mm
Step-up Height	250mm
Suspension System	Pullflex Commercial Suspension System
Accessory Storage	Phone Holder/ 2 Bottle Holders
Gross Weight	239.7kg/527.3lbs
Net Weight	170.3kg/374.7lbs
Product Dimension	2206 x 923 x 1579 (mm) 86.9" x 36.3" x 62.2"
Packing Size	BOX1: 2320 x 955 x 530 (mm) 91.3" x 37.6" x 20.9" BOX2: 1025 x 1015 x 360 40.3" x 40.0" x 14.1"
40HQ	44
40GP	37

* The right of specific weight to actual supply prevail.

AC810 TREADMILL



The AC850 is available with the All-new Touchscreen System

Rubber spring cushioning system offers superior shock absorption, promoting joint protection for lower limbs. With a two-stage buffering structure, it automatically adjusts to users of different weights, providing enhanced joint protection.



Phenolic resin coating on the treadmill belt provides durability, self-lubrication, and extended lifespan.



Designed with incline settings ranging from 0 to 20%, offering users a broader range of incline training options.



Symmetrical inward sloping design of the foot pedal edges ensures reliable safety protection for users.



Integral foam handlebars provide a better user experience and safety protection.



Equipped with Bluetooth module for connectivity to apps like Zwift, enabling training and data collection.

*This feature is supported only on AC810




Wireless charging for mobile phones adds extra value and convenience beyond the product's primary function.

*This feature is supported only on AC810



AC800 TREADMILL

Model	AC850/AC810/AC800
Power Requirement	16A
Electrical Receptacle & Plug	220-240V AC
AC/DC	AC
Motor Power	3HP
Max User Weight	150KG/330lbs
Speed Range	0-20KM/H
Incline Range	0-20%
Step-up Height	276MM
Deck	25.4MM
Running Surface	560 x 1550mm/ 22.0" x 61.0"
Belt Thickness	2.3mm
Suspension System	Two-stage Buffering
Accessory Storage	Ipad/iphone Holder/Magazine Holder/ 2 Bottle Holders
Console Display	6LED+1DOT MATRIX
HR Monitor	Contact & Telemetry
Console Readouts	Speed, Incline, Distance, Time, HR, Calories
Fan	Yes
Wireless Charging	Yes (AC850/810 Only)
Filter	Yes (AC850/810 Only)
Bluetooth	Yes (AC850/810 Only)
Product Dimension	2126 x 933 x 1598mm/ 85.0" x 36.7" x 62.9"
40HQ	44
40GP	40



● EC17
TREADMILL

● ECES
ELLIPTICAL

● ECR7
RECUMBENT BIKE

● ECU7
UPRIGHT BIKE

● ES3000
3 STACK MULTI-STATION
● ES3000 OPT
HI-LO PULLEY ATTACHMENT

● ES9030
DUAL ADJUSTABLE PULLEY
● ES7011
BENCH

ENCORE

The Complete Series

Space Solutions for Corporate Fitness

ECT7
TREADMILL

User-friendly console with keypad and scrolling LED window, multiple workout programs and unique heart rate zone programs



Built in bottle holders, accessories tray on both sides and display rack



Ergonomically designed handle bars with a towel rail



Bright orange colored saddle cover trim for step-on and step-off safety

Model	ECT7
Max User Weight	160kg/352lbs
AC/DC	AC
Power Requirement	15A
Electrical Receptacle & Plug	220-240V
Motor Power	3HP
Motor Peak Power	4.5HP
Speed range	1-20km/h (0.6-12mph)
Incline range	0 to 15%
One Touch Buttons	3%, 6%, 9%, 12% (incline), 3, 6, 9, 12 (Speed)
Handle bar Control	Yes
Console Display	6 window + dot Matrix
Console Readouts	Heart rate, Time Elapsed, Calories, Distance, Speed, Incline, 1/4 mile or 400 meters motivational track
Metric/English	Metric&English
Touch Screen	No
Entertainment (TV, Wifi etc.)	No
Programs	Target, Manual, Cardio, Interval, Burn Calories, Heart Rate, 5K, Hill, Advanced
HR Monitor	Contact&Telemetry
Roller Diameter	Front: 76mm/3" Back: 63.8mm/2.5"
Deck	Reversible 1" deck
Running surface	508x1524(mm)/20"x 60"
Belt Thickness	2.5mm
Belt Brand	Siegling
Step-up Height	224mm
Suspension System	Pufflex™ Commercial Suspension System
Handle bar Control	Yes
Handle Folding	No
Accessory Storage	IPAD, Phone Holder, Magazine Holder, 2 Bottle Holders
USB Charger	No
USB Data Exchange	No
Fan	Yes (3 speed level)
Multi-language Display	No
Gross Weight	Box1: 183.6kg/403.9lbs Box2: 30.0kg/66.0lbs
Net Weight	Box1: 128.1kg/281.8lbs Box2: 22.1kg/48.6lbs
Product Dimension	2045 x 940 x 1453(mm)/80.5" x 37.0" x 57.2"
Packing Size	Box 1: 2215 x 850 x 475(mm) 87.2" x 33.5" x 18.7" Box 2: 1045 x 855 x 410(mm) 41.1" x 33.7" x 16.1"
40HQ	54Sets



ECE5 ELLIPTICAL



User-friendly console with keypad and scrolling LED window, multiple workout programs and unique heart rate zone programs.



Multi grip ergo handles provide users of varying heights difference workout experiences.



Ergonomically correct pedals provide the ultimate natural motion.



User-friendly mini step allows users to step on and off from the rear.



Easy to service shroud design allows for convenient maintenance.



Model	ECE5
Certification	CE
Max User Weight	150kg/330lbs
Brake Type	Self Powered Hybrid Brake
Resistance Brake Power	350W
Resistance Levels	20 Levels
Electrical Receptacle & Plug	No
Incline range	No
Stride Length	508mm/20"
Pedal	Pedal with cushioned gel pads
Pedal Spacing	75mm/2.95"
Step-up Height	250mm/9.84"
One Touch Buttons	No
Handle bar Control	Yes
Console Display	6 LED windows + dot Matrix LED
Console Readouts	Speed, Time, Calorie, RPM, Distance, Heart rate, Resistance, etc.
Metric/English	Metric&English
Touch Screen	No
Entertainment (TV, Wifi etc.)	No
Programs	8 Preset, 4 Targets, 1 User
HR Monitor	Contact&Telemetry
Accessory Storage	Cup holder, Magazine Holder, Phone Holder
USB Charger	No
USB Data Exchange	No
Multi-language Display	No
Gross Weight	162.2kg/356.8lbs
Net Weight	119.6kg/263.1lbs
Product Dimension	1849×812×1809(mm)/72.8"×31.9"×70.9"
Packing Size	1150×765×1110(mm)/45.3"×30.1"×43.7"
40HQ	60Sets

ECR7 RECUMBENT BIKE



Model	ECR7
Certification	CE
Max User Weight	150kg/330lbs
Brake Type	Self-generating
Resistance Brake Power	300W
Resistance Levels	20
Crank	Standard
Pedal	Weighted pedal with skate-style clip
Flywheel Weight	8kg
One Touch Buttons	No
Handle bar Control	Ergonomically designed seat-side handles with contact heart rate
Console Display	6 LED windows + dot Matrix LED
Console Readouts	Speed, Time, Calorie, RPM, Distance, Heart rate, Resistance, etc.
Metric/English	Metric&English
Touch Screen	No
Entertainment (TV, Wifi etc.)	No
Programs	12
HR Monitor	Contact&Telemetry
Accessory Storage	Yes
USB Charger	No
USB Data Exchange	No
Multi-language Display	No
Special Features	On-your-finger-tips, ergonomically designed handle bars, two-sided pedals, k-o-p-s biomechanics, easy to service
Gross Weight	100.7kg / 221.5lbs
Net Weight	83.2kg/183.0lbs
Product Dimension	1670×634×1326(mm)/65.7"×25.0"×52.2"
Packing Size	1775×445×730(mm)/70.0"×17.5"×28.7"
40GP	96Sets



User-friendly console with keypad and scrolling LED window, multiple workout programs and unique heart rate zone programs.



Multiple riding grip positions are fitted with two sets of heart-rate reception, which provides users different workout experience. Bright colored fingertip controls for changing resistance for easy adjustments throughout the workout.



Dual oversized water bottle holders and mobile phone pocket conveniently located for those long bike rides.



Ergonomic single-hand seat adjustment makes easy to find the right position.



Easy to service shroud design allows for convenient maintenance.



ECU7
UPRIGHT BIKE



Model	ECU7
Certification	CE
Max User Weight	150kg/330lbs
Brake Type	Self-generating
Resistance Brake Power	300W
Resistance Levels	20
Crank	Standard
Pedal	Weighted pedal with skate-style clip
Flywheel Weight	8kg
One Touch Buttons	No
Handle bar Control	3 riding positions, with contact heart rate grips
Console Display	6 LED windows + dot Matrix LED
Console Readouts	Speed, Time, Calorie, RPM, Distance, Heart rate, Resistance, etc.
Metric/English	Metric&English
Touch Screen	No
Entertainment (TV, Wifi etc.)	No
Programs	12
HR Monitor	Contact&Telemetry
Accessory Storage	Yes
USB Charger	No
USB Data Exchange	No
Multi-language Display	No
Special Features	On-your-finger-tips, ergonomically designed handle bars, two-sided pedals, k-o-p-s biomechanics, easy to service
Gross Weight	78.5kg/172.7lbs
Net Weight	67.4kg/148.3lbs
Product Dimension	1132×628×1478(mm)/ 44.6"×24.7"×58.2"
Packing Size	1155×445×730(mm)/ 45.5"×17.5"×28.8"
40GP	156Sets

FGT300
TREADMILL



Concealed Capacitive Touch LED Mirror Screen
Featuring a concealed capacitive touch button design for responsive and pressure-free interactions, enhancing product longevity. The screen, in its powered-off state, seamlessly blends into a unified black mirror surface, elevating the overall aesthetic appeal.



Smart Knob
Press to start, rotate left for deceleration/right for acceleration, short press to pause, long press to stop. Additionally, quick adjustments can be made during parameter settings.



Bottom-mounted Motor Design
Utilizing a bottom-mounted motor design, the running belt seamlessly extends across the entire deck, significantly enhancing belt utilization.
This innovative approach increases the running space by 20%, providing an expansive 520mm × 1700mm area for an unobstructed and enjoyable running experience.

Model	FGT300
Max User Weight	150kg
Power Requirement	220V/10A
Motor Power	2.5HP
Motor Peak Power	5.0HP
Speed Range	0.5-18km/h
Incline Range	0-15% (15 levels)
Suspension System	10-Point Full Deck Suspension System
Console	5 LED windows +16×32 Matrix
Console Readouts	Speed, Incline, Time, Distance, Calories, HR
HR Monitor	Contact
Quick Button	8 Direct Speed Selection Buttons
Preset Program	24
Target Program	3
Custom Program	3
Fit Test Program	1
Charging Unit	Wireless
Accessory Storage	Pad Phone Holder/Bottle Holder
Product Dimension	1896 × 811 × 1546mm/73.1 × 31.9 × 60.9(in)
Packing Dimension	2230 × 910 × 450mm/87.8 × 35.8 × 17.7(in)
Running Surface	520 × 1700mm/20.5 × 66.9(in)
Net Weight	115kg/253.5lbs
Gross Weight	133kg/293.2lbs
Deck Thickness	20mm
Belt Thickness	1.8mm

FGE300
ELLIPTICAL



Concealed Capacitive Touch LED Mirror Screen
Featuring a concealed capacitive touch button design for responsive and pressure-free interactions, enhancing product longevity. The screen, in its powered-off state, seamlessly blends into a unified black mirror surface, elevating the overall aesthetic appeal.



Ease of Maintenance
Featuring a concealed maintenance port design, simply open the hidden cover to access and maintain the core components, reducing maintenance costs.



Convenient Fingertip Control System
Featuring both fixed and dynamic training dual-position handlebar design, allowing free selection of handlebar positions based on different training modes.
The fixed handlebar position includes a resistance adjustment button for quick intensity customization.

250W Self-Generating Electromagnetic Resistance System + 32-Level Resistance Adjustment

- **250W Self-Generating Resistance System:** Satisfy high-intensity training needs; the self-generating system is environmentally friendly, eliminating the need for external power sources, providing flexibility in placement without being constrained by power outlet locations.
- **32-Level Fine-tuned Resistance Levels:** Precise resistance adjustment for smooth transitions, coupled with various training modes to meet diverse training requirements.

Model	FGE300
Console	4 LED Windows+8*20 Matrix
Program	12 Preset Programs, 5 Custom Programs (U0-U4), 1 Constant Power Program, 4 HR Programs, 5 Target Programs (Time, Distance, Calories, Power, HR), 1 HR Recovery Test
Console Readouts	Speed, RPM, Distance, Calories, Power, Time, Resistance Level, HR
Power Requirement	Self-generating
Resistance	32 Levels Electromagnetic Resistance System, 250W
Flywheel	10.8kg (Self-generating Module)
Stride Length	20"(508mm)
Pedal Distance	255mm
Step-up Height	330mm
Sliding Rail	4
HR Monitor	Contact
Quick Button	6 Direct Resistance Selection Buttons + Fingertip Control System
Product Dimension	1750×630×1900mm/68.9×24.8×74.8(in)
Packing Dimension	1840×560×825mm/72.4×22.0×32.5(in)
Max User Weight	150kg/330.7lbs
Net Weight	115kg/253.5lbs
Gross Weight	133kg/293.2lbs

HSR007 SKI & ROW MULTIPLE TRAINING MACHINE



MARS (Magnetic & Air Resistance System) allows users to control their exertion and resistance at all time. The MARS system with 20 settings so you can change the resistance to suit your performance.



Heart rate telemetry system helps users to monitor intensity of the workout. Adjustable angle of console provides users with the best viewing experience in using condition.

High intensity cords achieve the maximum strength test up to 1,000,000 times ensuring the high quality of products.



Ergonomic seat enables users to train comfortably. Light-weight aluminum and stainless steel made slide rail allows users to train intensively and provide a low maintenance.



Skiing bar made of TPR materials allows for a comfortable grab feeling.


The transport wheels make it easy to place to a workout space.



A folding lock-up system ensures safety in daily using condition.



Adjustable pedals and ergonomic handle bars accommodate different users' need. The sturdy legs provide users a comfortable and stable movement.





A folded Ski&Row saves 48% floor space comparing with rower form.

The SKI&ROW can be used in standing form, which provides upper body training and core training. Optional foot straps help users to train lower body and complete the workout shown below:



● MARS (Magnetic & Air Resistance System)



SKI & ROW Multiple Training Machine MARS (Magnetic & Air Resistance System) add a further resistance to the air resistance. The MARS system has 20 precise resistance levels. Through the console, users can easily adjust the resistance at all time.

Model	HSR007
Maximum User Weight	150kg / 330lbs
Drive Model	Belt
Handlebar Design	Rowing Bar & Skiing Bar
Flywheel Weight	4.1kg
Special Features	Provided Rowing & Skiing Training
Resistance Design	MARS (Magnetic & Air Resistance System)
Resistance Power	300W
Resistance Levels	20
Console Display	5" LCD display with 8 readout windows
Console Readouts	Time, Stroke Rate, Pace, Distance, Watts, Calories, Heart Rate, Level
Programs	5(Time/Distance/Calorie Target, Interval Time/Distance)
HR Monitor	Bluetooth, ANT+
Power Requirements	4 C cell batteries
Product Dimension	Horizontal Form: 2620×883×1060(mm)/103.1"×34.8"×41.7" Vertical Form: 1360×883×2140(mm)/53.5"×34.8"×84.3
Seat Height	513mm/ 20.2"
Monorail	1663mm/ 65.5" (Aluminum)
Net Weight	66.5kg/147lbs
Packing Size	Box 1: 1805×565×170(mm)/71.1"×22.2"×6.7" Box 2: 1075×575×680(mm)/42.3"×22.6"×16.8"
40HQ Container Count	108

● Space Saving Design

Thanks to the innovative design, the folded SKI & ROW Multiple Training Machine saves 48% space comparing with rowing form. Therefore, the SKI & ROW Multiple Training Machine as a commercial grade equipment is also suitable for the small fitness studio or residential.

● Vertical Form
1.10m³

● Horizontal Form
2.12m³



HSR005
Rower



Seamless air resistance shifting

Adjustable pedals and ergonomic handle bars accommodate different users' need. The sturdy legs provide users a comfortable and stable movement

Heart rate telemetry system helps users to monitor intensity of the workout. Your exercise data can be easily synchronized via Bluetooth. Adjustable angle of console provides users with the best viewing experience in using condition

High durable chain can ensure the quality under intensive usage

Ergonomic seat enables users to train comfortably. Light-weight aluminum and stainless steel made slide rail allows users to train intensively and provide a low maintenance

Model	HSR005
Maximum User Weight	150kg / 330lbs
Drive Model	Chain
Handlebar Design	Rowing Bar
Special Features	Provided Rowing
Resistance Design	Air Resistance
Console Display	9" LCD display with 8 readout windows
Console Readouts	Time, Stroke Rate, Pace, Distance, Watts, Calories, Heart Rate, Level
Programs	5(Time/Distance/Calorie Target, Interval Time/Distance)
HR Monitor	Bluetooth, ANT+
Power Requirements	4 C cell batteries
Product Dimension	2240×365×1060(mm) 88.2"×14.4"×41.7"
Seat Height	513mm/ 20.2"
Monorail	1463mm/ 57.6" (Aluminum)



2240mm

HSR005



2620mm

HSR007

HB005
ULTRA BIKE

The resistance is delivered by fan, which is driven by power and speed pedal along with two handles that move back and forth. Users are able to determine intensity level and resistance.



26 ABS blades molded into one piece which makes it stabilized and more quiet than traditional steel blades in using condition.




The workout data can be synchronized to your smart devices via Bluetooth or ANT+.
Then you can track the data with 3rd party applications which manage your training more scientific. It helps users to make a more reasonable training plan.



Consider electroplated steel gets rust easily, the seat support and pedals of ULTRA BIKE is made of aluminum alloy, which is less prone to corrosion, helping to provide long service life.



Compared to ordinary ULTRA BIKE with its chain always sways and bumps and needs scheduled maintenance. ULTRA BIKE's V-Belt drive provides smooth and consistent ride without extra maintenance or high cost.



ULTRA BIKE enables users to do upper body training, lower body training and total body training. It helps to improve your body coordination and meets training demands of various people.

Model	HB005
Maximum User Weight	150kg / 330lbs
Resistance	Air Resistance
Drive Model	Belt Drive
Pedals & handle bars	Synchronized Motion
Pedals	Double Faced Aluminum Alloy
Footholds	Aluminum
Crank	OverSize
Console Display	5"LCD Screen
Console Readouts	Time, Speed/Average Speed, Calories/Average Calories, Distance, RPM/Average RPM, Watt/Average Watt, Heart Rate/ Average Heart Rate
Programs	3 target programs (Time, Distance, Calories), 3 Heart Rate Programs (65%,75%,85%), 4 Interval Programs (3 time interval and 1 distance interval)
Heart Rate Monitor	Bluetooth,ANT+
Cup Holder	Yes
Fan Size	26 inches
Fan Blades	26 ABS Curved blades
Power Requirements	4 C Cell batteries
Product Dimension	1308×712×1349(mm)/51.5"×28.0"×53.1"
Net Weight	63.3kg/139.6lbs
Gross Weight	79.8kg/175.9lbs
Packing Size	1355×400×905(mm)/52.6"×15.7"×35.6"

XSC700 STAIR CLIMBER



Model	XSC700
Certification	CE
Maximum User Weight	160kg/352lbs
Power Requirement	10A
Electrical Receptacle & Plug	100-240V
Resistance System	Plug-in Magnetic Resistance
Resistance Brake Power	700w
Resistance Levels	20
Speed Range	25-158steps/min
Step Length	559mm/22.0"
Step Width	254mm/10"
Step Height	202mm/8.0"
Heart Rate Monitor	Contact&Telemetry
Console Display	LED + Dot Matrix
Console Readouts	Time,Steps,Calories,Speed, Heart Rate,Gear Level
Default Programs	Quick Start,Climbing 1-5,Interval 1-5
Target Programs	Time,Distance,Calories
HRC Programs	Target HR,Interval HR
Custom Programs	Custom Distance,Custom Climbing, Custom Interval
Touch Screen	Optional
Charging Unit	Wireless
Packing form	Wooden Box
Accessory Storage	Cup Holder, Magazine Holder, Phone Holder
Product Dimension	1421*928*2248(mm)
	55.9"X36.5"X88.5"
Product Weight	206.4kg/455.0lbs
40GP Container Count	16



*The touchscreen console is optional.

INDOOR GROUP CYCLE





CARDIO

INDOOR CYCLE

PS460
SELF-GENERATING MAGNETIC CYCLE

Resistance System	Magnetic
Resistance Power	400W
Resistance Level	1-20
Emergency Stop	Push
Flywheel	Aluminum
Flywheel Weight	3.5kg
Pulley	Aluminum
Drivetrain	Belt
Drivetrain Ratio	1:10
Frame Material	Steel
Adjustment Type	Aluminum
Pedal	Dual-sided vp pedal
Shaft	φ25
Bearing	TPI
Handlebar	Multi-position, Soft PVC
Handlebar Adjustment	Vertical&Horizontal
Saddle	Ultra-padded sport saddle
Saddle Adjustments	Vertical&Horizontal
Console Display	4.3"LCD
Console Readouts	Resistance Level, Time, Speed(AVG/MAX), Distance, Watt(AVG/MAX), RPM(AVG/MAX), Heart Rate(AVG/MAX), Calories
Water Bottle Holder	Double
Maximum User Weight	150kgs/330lbs
Gross Weight	56.6kg/124.8lbs
Net Weight	50.3kg/110.9lbs
Product Dimension	1317×604×1057(mm)
	51.9"×23.8"×41.6"
Packing size	1310×315×1000(mm)
	51.6"×12.4"×39.4"

The console is powered by the bike's self-generated electricity and supports Bluetooth protocols, allowing it to connect with the majority of third-party apps available in the market.



Dual cup holders for intense training.



Dual-sided pedals allow riders to wear either cycling or athletic shoes.



Larger main frame, over-sized axis and pedal shaft ensure reliable quality.



Magnetic brake system provides more stable resistance, and more convenient adjustment.



V structure, 164mm Q-FACTOR allows ideal riding position.



Seat and handles are adjustable horizontally and vertically. Aluminum post and newly designed knob allows convenient adjustment.



Rear aluminum flywheel is waterproof. The plastic edge shroud ensures riding safety.



Tension unit for stretch before and after riding.

CARDIO

INDOOR CYCLE



PS450
MAGNETIC INDOOR GROUP CYCLE

Resistance System	Magnetic
Emergency Stop	Push
Flywheel	Aluminum
Flywheel Weight	3.5kg
Pulley	Aluminum
Drivetrain	Belt
Drivetrain Ratio	1:10
Frame Material	Steel
Adjustment Type	Aluminum
Pedal	Dual-sided vp pedal
Shaft	φ25
Bearing	TPI
Handlebar	Multi-position, Soft PVC
Handlebar Adjustment	Vertical&Horizontal
Saddle	Ultra-padded sport saddle
Saddle Adjustments	Vertical&Horizontal
Water Bottle Holder	Double
Maximum User Weight	150kg/330lbs
Gross Weight	56.6kg/124.8lbs
Net Weight	50.3kg/110.9lbs
Product Dimension	1272×604×1057(mm) 50.1"×23.8"×41.6"
Packing size	1310×315×1000(mm) 51.6"×12.4"×39.4"



- **Handlebar**
Vertically adjustable with nice hand feeling. Multiple handle positions can meeting various training needs.
- **Frame**
Double-oval tube and anti-rust steel frame makes extraordinary appearance.
- **Brake**
Reliable Nylon nob brake. Coated steel cup holder is easy to access.
- **Resistance**
Long-lasting pedals and classic fly wheel driving system brings nice training experience to users.
- **Seat**
Precision casting seat part combined with chromium-plated steel adjusting tube make it easy to adjust position. Ergonomic seat pad provides comfortable training.



CONSOLE



PS300



PS303




PS300 SPINNING BIKE

Resistance System	Wool brake
Emergency Stop	Push
Flywheel Weight	20kg/44lbs
Drivetrain	Chain
Pedal	Dual-sided vp pedal
Handlebar	Multi-position, Soft PVC
Handlebar Adjustment	Vertical & Horizontal
Max User Weight	150kg/330lbs
Gross Weight	66.3kg/145.9lbs
Net Weight	58.0kg/127.6lbs
Product Dimension	1188×528×1170(mm) 46.8"×20.8"×46.1"
Packing Size	1100×330×870(mm) 43.3"×13.0"×34.3"
40HC Container Count	222



STRENGTH



EXOFORM >>>

Uniformly low profile at 1492mm is designed by American team. Translucent shroud at thickness 3.2mm with smooth pattern is in injection molding, which designed elegantly and ensures ultra durability and non-deformation

- Build-in console, which is well designed by American UI team, displays reps and time
- The upright tubes are with special tube at size 72.8×141.7×3mm, and the functional part with race track tube at size 40×133×3mm. Tubes applys double powder-coated & painting process which ensure high-quality and ultra durability
- The steel guide rod (diameter:19mm) is anti-corrosion coated and polished which ensures smoothly travel and rust-proof
- Friendly designed iPad and bottle holders are separated to meet various requirement
- The 5LBS incremental weight is to meet users requirement
- All the hardware parts exposed are nickel plated or stainless steel. The NBK bearing is applied
- Meet EN957 safety regulation
- Ergonomically designed handle bars, which is patented, are with TPU matrial and aluminium grip ring. The concise design offers comfort and safety
- Ergonomically designed upholstery is with PU foam which offers comfort and safety protection
- Belt and cable driving system are both applied. Self-lubricate American Loss cable with nylon-coated 12 complex fiber ensures service life 300,000 times. The belt is with steel wire embedded which ensures ultra durability and long lifetime
- With spiral spring assistance system, the patented 3-linkage seat adjustment is concisely designed, cost-saving and offers easy installment
- All dynamic components are shielded for safety purpose
- Gas spring for resetting

* WEIGHT STACK SOLD SEPARATELY

OPTION 1	160lbs/68.3kg
OPTION 2	200lbs/85.5kg
OPTION 3	235lbs/102.8kg
OPTION 4	295lbs/129.2kg



FE9701 CHEST PRESS

Dimension (L×W×H)	1230x1570x1490(mm) 48.4x61.8x58.7 (in)
Net Weight	169.7kg/373.3lbs



FE9702 LAT PULLDOWN

Dimension (L×W×H)	1304×1226×2109 (mm) 51.3x48.2x83.0 (in)
Net Weight	177.7kg/390.9lbs

FE9703 ARM CURL

Dimension (L×W×H)	1149x1567x1490(mm) 45.2x61.7x58.7 (in)
Net Weight	169.1kg/372lbs



FE9704 PECTORAL

Dimension (L×W×H)	1197x1551x1489 (mm) 47.1x61.1x58.6 (in)
Net Weight	166.2kg/365.6lbs



FE9705 LEG EXTENSION

Dimension (L×W×H)	1264x1239x1489 (mm)
	49.8x48.8x58.6 (in)
Net Weight	169.6kg/373.1lbs



FE9708 ABDUCTOR/ADDUCTOR

Dimension (L×W×H)	1776x1546x1488 (mm)
	69.9x60.9x58.6 (in)
Net Weight	165.8kg/364.8lbs



FE9706 SEATED LEG CURL

Dimension (L×W×H)	1240x1541x1489 (mm)
	48.8x60.7x58.6 (in)
Net Weight	183.6kg/403.9lbs



FE9710 LEG PRESS

Dimension (L×W×H)	1781×1293×1491 (mm)
	70.1x50.9x58.7 (in)
Net Weight	279kgs/613.8lbs



FE9712 SHOULDER PRESS

Dimension (L X W X H)	1762x1422x1492(mm) 69.4x55.9x58.7 (in)
Net Weight	168.7kg/371.1lbs



FE9714 ABDOMINAL

Dimension (L X W X H)	1383x1202x1491(mm) 54.4x47.3x58.7 (in)
Net Weight	141.5kg/311.3lbs



FE9715 PEC FLY/REAR DELT

Dimension (L X W X H)	1296x1758x1490(mm) 51x69.2x58.7 (in)
Net Weight	160.7kg/353.5lbs



FE9716 CALF RAISE

Dimension (L X W X H)	1265x1186x1721(mm) 49.8x46.7x67.8 (in)
Product Weight	167.8kg/369.2lbs



FE9718 TORSO ROTATION

Dimension (L×W×H)	1293×1346×1490 (mm)
	50.9×53.0×58.7 (in)
Net Weight	176kg/387.2lbs



FE9719 ROW

Dimension (L×W×H)	1995×1127×1492(mm)
	78.6×44.4×58.7 (in)
Net Weight	174.8kg/384.6lbs



FE9720
WEIGHT ASSISTED CHIN/DIP COMBO

Dimension (L×W×H)	1750×1378×2197 (mm)
	68.9×54.2×86.5 (in)
Net Weight	243.5kg/535.7lbs



FE9721 PRONE LEG CURL

Dimension (L×W×H)	1606×1193×1492mm)
	63.2×47×58.7 (in)
Net Weight	154.2kg/339.2lbs





FE9723 TRICEP	
Dimension (L×W×H)	1149x1580x1490 (mm)
	45.2x62.2x58.7 (in)
Net Weight	163.5kg/359.7lbs



FE9724 LATERAL RAISE	
Dimension (L×W×H)	1266x1261x1491 (mm)
	49.8x49.6x58.7 (in)
Net Weight	187.5kg/412.5lbs




FE9726 GLUTE	
Dimension (L×W×H)	1307x1483x1488 (mm)
	53.9x58.4x58.6 (in)
Net Weight	168.5kg/370.7lbs



FE9732 BACK EXTENSION	
Dimension (L×W×H)	1383x1203x1492 (mm)
	54.4x47.4x58.7 (in)
Net Weight	185.4kg/407.9lbs



SL95 Line>> >



SL9501 CHEST PRESS

PRODUCT DIMENSION (LxWxH)	1552x1231x1503 (mm) 61.1x48.5x59.2 (in)
PRODUCT WEIGHT	163.5kg/360.5lbs



SL9502 DIVERGING LAT PULLDOWN

PRODUCT DIMENSION (LxWxH)	1305x1224x2109 (mm) 51.4x48.2x83.0 (in)
PRODUCT WEIGHT	172kg/379.2lbs



SL9503 ARM CURL

PRODUCT DIMENSION (LxWxH)	1122x1583x1563 (mm) 44.2x62.3x61.5 (in)
PRODUCT WEIGHT	162kg/357.1lbs



SL9505 LEG EXTENSION

PRODUCT DIMENSION (LxWxH)	1401x1227x1563 (mm) 55.2x48.3x61.5 (in)
PRODUCT WEIGHT	145.1kg/319.9lbs

SL9506 SEATED LEG CURL

PRODUCT DIMENSION (LxWxH)	1495x1275x1563 (mm) 58.9x50.2x61.5 (in)
PRODUCT WEIGHT	162.8kg/358.9lbs



SL9508
ABDUCTOR/ADDUCTOR

PRODUCT DIMENSION (LxWxH)	784x1636x1563 (mm) 30.9x64.4x61.5 (in)
PRODUCT WEIGHT	144.8kg/319.2lbs

SL9509 TOTAL HIP

PRODUCT DIMENSION (LxWxH)	972x1381x1564 (mm) 38.3x54.4x61.6 (in)
PRODUCT WEIGHT	178.6kg/393.7lbs



SL9510 LEG PRESS

PRODUCT DIMENSION (LxWxH)	1813x1176x1562 (mm) 71.4x46.3x61.5 (in)
PRODUCT WEIGHT	219.3kg/483.5lbs

SL9512 SHOULDER PRESS

PRODUCT DIMENSION (LxWxH)	1550x1490x1564 (mm) 61.0x58.7x61.6 (in)
PRODUCT WEIGHT	152.5kg/336.2lbs





SL9515 PEC FLY/REAR DELT

PRODUCT DIMENSION (LxWxH)	1497x1629x2048 (mm) 58.9x64.1x80.6 (in)
PRODUCT WEIGHT	141.2kg/311.3lbs

SL9516 STANDING CALF RAISE

PRODUCT DIMENSION (LxWxH)	1192x1197x1750 (mm) 46.9x47.1x68.9 (in)
PRODUCT WEIGHT	131kg/288.8lbs



SL9517 SEATED DIP

PRODUCT DIMENSION (LxWxH)	1428x1300x1564 (mm) 56.2x51.2x61.6 (in)
PRODUCT WEIGHT	150kg/330.7lbs



SL9519 VERTICAL ROW

PRODUCT DIMENSION (LxWxH)	1984x1129x1563 (mm) 78.1x44.4x61.5 (in)
PRODUCT WEIGHT	159.7kg/352.1lbs

SL9520
WEIGHT ASSISTED CHIN
DIP COMBO

PRODUCT DIMENSION (LxWxH)	1394x1608x2285 (mm) 54.9x63.3x90.0 (in)
PRODUCT WEIGHT	183.8kg/405.2lbs

SL9521 PRONE LEG CURL

PRODUCT DIMENSION (LxWxH)	1185x1443x1563 (mm) 46.7x56.8x61.5 (in)
PRODUCT WEIGHT	139.4kg/307.3lbs





SL9522
LAT PULLDOWN VERTICAL ROW

PRODUCT DIMENSION	1223x1936x2231 (mm)
(LxWxH)	48.1x76.2x87.8 (in)
PRODUCT WEIGHT	139.1kg/306.7lbs

SL9525
ADJUSTABLE HI/LO PULLEY

PRODUCT DIMENSION	1482x1187x2356 (mm)
(LxWxH)	58.3x46.7x92.8 (in)
PRODUCT WEIGHT	134.2kg/295.9lbs



SL9524 LATERAL RAISE

PRODUCT DIMENSION	1096x1284x1564 (mm)
(LxWxH)	43.2x50.6x61.6 (in)
PRODUCT WEIGHT	127.5kg/281.1lbs



SL9527 JUNGLE MULTI GYM

PRODUCT DIMENSION	3488x2646x2350 (mm)
(LxWxH)	137.3x104.2x92.5 (in)
PRODUCT WEIGHT	386.4kg/851.9lbs



SL9527 OPT

PRODUCT DIMENSION (LxWxH)	2824x221x477 (mm) 111.2x8.7x18.8 (in)
PRODUCT WEIGHT	27.3kg/60.2lbs

SL9529 MULTI PRESS

PRODUCT DIMENSION (LxWxH)	1827x1477x1672 (mm) 71.9x58.1x65.8 (in)
PRODUCT WEIGHT	178.4kg/393.3lbs



SL9528
LEG EXTENSION/LEG CURL

PRODUCT DIMENSION (LxWxH)	1351x1319x1563 (mm) 53.2x51.9x61.5 (in)
PRODUCT WEIGHT	180.1kg/397.1lbs



SL9534
ABDOMINAL
BACK EXTENSION

PRODUCT DIMENSION (LxWxH)	1112x1267x1567 (mm) 43.8x49.9x61.7 (in)
PRODUCT WEIGHT	140.1kg/308.9lbs





IT95 Line >> >

- Tube: 3mm tube in main frame and movement parts. U-frame uses PR95x81.1x3 tube and functional parts use RT50x100
- Plastic part: Injection molding for better quality
- Painting: Double coated surface treatment
- Incremental weight (optional): 5lbs for smaller adjustment
- Weight stack: 19mm full steel plate. Weight options - 160/200/235/295lbs
- Easy to enter and exit the machine and able to adjust when in sitting position
- Handle: Patented ergonomic design with TPU material
- Standard metal part: Nickel plated or stainless steel for better appearance and quality
- Diverging motion structure allows the arm training simultaneously and alternately
- Pad: Double stitch and add protect cover on the back. Various colors to choose from
- Pulley: Lathed pulley with less tolerance
- Cable: USA imported cable which passed more than 250 thousand times test
- Bearing: Reliable Taiwan brand

Conform with EN957. Passed 300,000 times fatigue test and 100kg stable test

* WEIGHT STACK SOLD SEPARATELY

OPTION 1	160lbs/68.3kg
OPTION 2	200lbs/85.5kg
OPTION 3	235lbs/102.8kg
OPTION 4	295lbs/129.2kg



*COLOR OPTIONAL.
Two paint colors and upholstery colors can be freely combined.



IT9501 CHEST PRESS

PRODUCT DIMENSION (LxWxH)	1475x1200x1506 (mm) 58.1x47.2x59.3 (in)
PRODUCT WEIGHT	127.4kg/280.3lbs



IT9502 LAT PULLDOWN

PRODUCT DIMENSION (LxWxH)	1384x1373x1889 (mm) 54.5x54.1x74.4 (in)
PRODUCT WEIGHT	147.7kg/324.9lbs



IT9503 ARM CURL

PRODUCT DIMENSION (LxWxH)	1295x1208x1506 (mm) 51.1x47.6x59.3 (in)
PRODUCT WEIGHT	115.5kg/254.1lbs





IT9504 PECTORAL

PRODUCT DIMENSION (LxWxH)	1450x1360x1510 (mm) 57.1x53.5x59.4 (in)
PRODUCT WEIGHT	132.5kg/291.5lbs



IT9505 LEG EXTENSION

PRODUCT DIMENSION (LxWxH)	1202x1189x1506 (mm) 47.3x46.8x59.3 (in)
PRODUCT WEIGHT	133.1kg/292.8lbs



IT9506 SEATED LEG CURL

PRODUCT DIMENSION (LxWxH)	1536x1186x1506 (mm) 60.5x46.7x59.3 (in)
PRODUCT WEIGHT	149.6kg/329.1lbs



IT9508 ABDUCTOR/ADDUCTOR

PRODUCT DIMENSION (LxWxH)	1553x856x1506 (mm) 61.1x33.7x59.3 (in)
PRODUCT WEIGHT	149.6kg/329.1lbs



IT9509 TOTAL HIP

PRODUCT DIMENSION (LxWxH)	1292x972x1506 (mm) 50.9x38.3x59.3 (in)
PRODUCT WEIGHT	148.2kg/326.7lbs



IT9510 LEG PRESS

PRODUCT DIMENSION (LxWxH)	1813x1109x1504 (mm) 71.4x43.7x59.2 (in)
PRODUCT WEIGHT	211.3kg/464.9lbs





IT9512 SHOULDER PRESS

PRODUCT DIMENSION (LxWxH)	1560x1443x1510 (mm) 61.4x56.8x59.4 (in)
PRODUCT WEIGHT	137.4kg/302.3lbs



IT9516 CALF RAISE

PRODUCT DIMENSION (LxWxH)	1287x1156x1739 (mm) 50.7x45.5x68.5 (in)
PRODUCT WEIGHT	127.8kg/281.1lbs



IT9514 ABDOMINAL

PRODUCT DIMENSION (LxWxH)	1345x1148x1581 (mm) 53.0x45.2x62.2 (in)
PRODUCT WEIGHT	112.6kg/247.7lbs



IT9517 SEATED DIP

PRODUCT DIMENSION (LxWxH)	1794x1267x1507 (mm) 70.6x49.9x59.3 (in)
PRODUCT WEIGHT	142.5kg/313.5lbs



IT9515 PEC FLY/REAR DELT

PRODUCT DIMENSION (LxWxH)	1275x1288x2048 (mm) 50.2x50.7x80.6 (in)
PRODUCT WEIGHT	123.5kg/271.7lbs



IT9518 TORSO ROTATION

PRODUCT DIMENSION (LxWxH)	1221x1202x1506 (mm) 48.1x47.3x59.3 (in)
PRODUCT WEIGHT	150.8kg/331.8lbs





IT9519 VERTICAL ROW

PRODUCT DIMENSION (LxWxH)	1617x1264x1508(mm) 63.7x49.8x59.4 (in)
PRODUCT WEIGHT	126.5kg/278.3lbs

IT9520
WEIGHT ASSISTED CHIN/DIP COMBO

PRODUCT DIMENSION (LxWxH)	1570x1394x2286(mm) 61.8x54.9x90.0 (in)
PRODUCT WEIGHT	125.5kg/276.1lbs



IT9521 PRONE LEG CURL

PRODUCT DIMENSION (LxWxH)	1443x1146x1508(mm) 56.8x45.1x59.4 (in)
PRODUCT WEIGHT	129.6kg/285.1lbs

IT9522
LAT PULLDOWN/VERTICAL ROW

PRODUCT DIMENSION (LxWxH)	1897x1223x2228(mm) 74.7x48.1x87.7 (in)
PRODUCT WEIGHT	118.5kg/260.7lbs



IT9524 LATERAL RAISE

PRODUCT DIMENSION (LxWxH)	1222x1213x1506 (mm) 48.1x47.8x59.3 (in)
PRODUCT WEIGHT	127.5kg/280.5lbs



IT9526 GLUTE

PRODUCT DIMENSION (LxWxH)	1503x1245x1508 (mm) 59.2x49x59.4 (in)
PRODUCT WEIGHT	125.5kg/276.1lbs





IT9528
LEG EXTENSION/LEG CURL

PRODUCT DIMENSION (LxWxH)	1375x1230x1507 (mm) 54.1x48.4x59.3 (in)
PRODUCT WEIGHT	167kg/368.2lbs



IT9532 BACK EXTENSION

PRODUCT DIMENSION (LxWxH)	1233x1188x1506 (mm) 48.5x56.8x59.3 (in)
PRODUCT WEIGHT	118.5kg/260.7lbs



IT9529 MULTI PRESS

PRODUCT DIMENSION (LxWxH)	1827x1437x1669 (mm) 71.9x56.6x65.7 (in)
PRODUCT WEIGHT	166kg/365.9lbs



IT9533
BICEP CURL/TRICEP EXTENSION

PRODUCT DIMENSION (LxWxH)	1300x1225x1502 (mm) 51.2x48.2x59.1 (in)
PRODUCT WEIGHT	132.5kg/291.5lbs





IT9534
ABDOMINAL/BACK EXTENSION

PRODUCT DIMENSION	1196x1189x1506(mm)
(LxWxH)	53.4x50.8x61.7(in)
PRODUCT WEIGHT	139.2kg/306.2lbs



IT9538
HIP THRUST

PRODUCT DIMENSION	1563x1290x1506(mm)
(LxWxH)	61.5x50.8x59.3(in)
PRODUCT WEIGHT	255kg/562.2lbs



IT9537
STANDING MULTI FLIGHT
MACHINE

PRODUCT DIMENSION	1455x906x1863(mm)
(LxWxH)	57.3x35.7x73.3(in)
PRODUCT WEIGHT	270kg/595.2lbs



IT9539
SEATED LEG PRESS
HACK SQUAT

PRODUCT DIMENSION	1857x1090x1506(mm)
(LxWxH)	73.1x42.9x59.3(in)
PRODUCT WEIGHT	325kg/716.5lbs





IF93 >> >

These simple, clean-lines, selectorized series specially designed for entry level small clubs and institutional applications. It offers a complete functional package, is inexpensive to own and is easy to maintain. It matches up beautifully with the benches and racks of the IF line.

- The clear and precise instructions and training tips are great for individuals who is new to strength training and help users to build targeted muscle.
- Ergonomic seat cushion, chest and back pad are made of polymer materials. The specially designed pads have different angles, which meet various training requirements.
- Ergonomically designed handle bars are made of TPV materials, which make your garb more comfortable and safety. It combines with aluminum end cap reflecting high-end taste.
- The main frame is coated with materials that environmental friendly, which helps to improve products quality and provide with good scratching and corrosion resistance.
- Designed with stainless steel seat adjustment that provides a longer service life, made it easy to adjust and look beautiful.
- All pulleys are adopted with high quality bearings which ensure smooth movement.
- The upright tubing thickness of 2.5mm and the functional parts with rectangular tube at size of 50×100×2.5mm, which make IF93 stronger and more powerful.
- The translucent shroud with ABS materials (optional full shroud) is endurable and wear resisting. The main plastic parts are made using injection molding that help to provide steady quality.
- The whole series are adopted with the equivalent cage height of 1530mm, which help to create a bright training environment of fitness club.
- Specially designed cup holder is perfectly integrated with cage, making it simple and enerus.

* WEIGHT STACK SOLD SEPARATELY

OPTION 1	160lbs/68.3kg
OPTION 2	200lbs/85.5kg
OPTION 3	235lbs/102.8kg
OPTION 4	295lbs/129.2kg



* THE FULL SHROUD IS OPTIONAL.
(Weight stacks varies by the shrouds)



IF9301 CHEST PRESS

PRODUCT DIMENSION (L×W×H)	1040×1360×1530 (mm) 40.5×53.5×60.2 (in)
PRODUCT WEIGHT	97.1kg



IF9302 LAT PULLDOWN

PRODUCT DIMENSION (L×W×H)	1585×1318×1891 (mm) 42.4×51.9×74.4 (in)
PRODUCT WEIGHT	100kg



IF9305 LEG EXTENSION

PRODUCT DIMENSION (L×W×H)	1146×1050×1530 (mm) 45.1×41.3×60.2 (in)
PRODUCT WEIGHT	101.5kg



IF9306 SEATED LEG CURL

PRODUCT DIMENSION (L×W×H)	1148×1034×1530 (mm) 45.2×40.7×60.2 (in)
PRODUCT WEIGHT	95kg



IF9303 ARM CURL

PRODUCT DIMENSION (L×W×H)	1218×1028×1530 (mm) 47.9×40.5×60.2 (in)
PRODUCT WEIGHT	90kg



IF9304 PECTORAL

PRODUCT DIMENSION (L×W×H)	1736×806×1530 (mm) 68.3×31.7×60.2 (in)
PRODUCT WEIGHT	95kg

* The right of specific weight to actual supply prevail.



IF9308 ABDUCTOR/ADDUCTOR

PRODUCT DIMENSION (L×W×H)	1570×935×1530 (mm) 61.8×36.8×60.2 (in)
PRODUCT WEIGHT	98.5kg



IF9310 LEG PRESS

PRODUCT DIMENSION (L×W×H)	1790×1168×1530 (mm) 70.5×46.0×60.2(in)
PRODUCT WEIGHT	120.5kg



IF9312 SHOULDER PRESS

PRODUCT DIMENSION (L×W×H)	1149×1456×1530 (mm) 45.2×57.3×60.2 (in)
PRODUCT WEIGHT	102.6kg



IF9315 PEC FLY/REAR DELT

PRODUCT DIMENSION (L×W×H)	1420×1493×1863 (mm) 58.8×55.9×73.3 (in)
PRODUCT WEIGHT	90kg



IF9316 CALF RAISE

PRODUCT DIMENSION (L×W×H)	1150×1105×1775 (mm) 45.3×43.5×69.9(in)
PRODUCT WEIGHT	106kg



IF9314 ABDOMINAL

PRODUCT DIMENSION (L×W×H)	1304×1484×1490 (mm) 51.3×58.4×58.7 (in)
PRODUCT WEIGHT	89.5kg



IF9317 SEATED DIP

PRODUCT DIMENSION (L×W×H)	1227×1212×1530 (mm) 48.3×47.7×60.2(in)
PRODUCT WEIGHT	97.5kg



IF9318 TORSO ROTATION

PRODUCT DIMENSION (L×W×H)	1240×1105×1530 (mm) 48.8×43.5×60.2(in)
PRODUCT WEIGHT	96kg



IF9319 VERTICAL ROW

PRODUCT DIMENSION (L×W×H)	1818×870×1530 (mm) 71.6×34.3×60.2(in)
PRODUCT WEIGHT	91.5kg



IF9321 PRONE LEG CURL

PRODUCT DIMENSION (L×W×H)	1510×1150×1530 (mm) 59.4×45.3×60.2(in)
PRODUCT WEIGHT	101.5kg



IF9323 ARM EXTENSION

PRODUCT DIMENSION (L×W×H)	1079×1028×1530 (mm) 42.1×40.5×60.2 (in)
PRODUCT WEIGHT	91kg



IF9324 LATERAL RAISE

PRODUCT DIMENSION (L×W×H)	1179×790×1530 (mm) 46.4×39.5×60.2(in)
PRODUCT WEIGHT	85kg

IF9320
WEIGHT ASSISTED CHIN/DIP COMBO

PRODUCT DIMENSION (L×W×H)	1309×1256×2498 (mm) 51.5×49.4×98.3(in)
PRODUCT WEIGHT	107kg

IF9322
LAT PULLDOWN/VERTICAL ROW

PRODUCT DIMENSION (L×W×H)	1886×1223×2227 (mm) 74.2×48.1×87.7(in)
PRODUCT WEIGHT	90kg



IF9326 KICK BACK

PRODUCT DIMENSION (L×W×H)	1068×1034×1530 (mm) 42.0×40.7×60.2 (in)
PRODUCT WEIGHT	90kg



IF9328 LEG EXTENSION/LEG CURL

PRODUCT DIMENSION (L×W×H)	1272×1270×1530 (mm) 50.1×50.0×60.2 (in)
PRODUCT WEIGHT	105kg



IF9329 MULTI PRESS

PRODUCT DIMENSION (L×W×H)	2026×1446×1530 (mm) 79.8×56.9×60.2 (in)
PRODUCT WEIGHT	97.5kg

IF9333
BICEP CURL/TRICEP EXTENSION

PRODUCT DIMENSION (L×W×H)	1327×1203×1530 (mm) 52.2×47.4×60.2 (in)
PRODUCT WEIGHT	110kg



IF9334 AB/BACK

PRODUCT DIMENSION (L×W×H)	1592×1253×1531 (mm) 62.7×49.3×60.3 (in)
PRODUCT WEIGHT	TBD



IF9330 DUAL ADJUSTABLE PULLEY

PRODUCT DIMENSION (L×W×H)	1639×982×2270 (mm) 64.5×34.7×89.4 (in)
PRODUCT WEIGHT	117kg



IF9332 BACK EXTENSION

PRODUCT DIMENSION (L×W×H)	1120×1034×1530 (mm) 44.0×40.7×60.2 (in)
PRODUCT WEIGHT	98kg



IF9335 ABDUCTOR

PRODUCT DIMENSION (L×W×H)	1583×946×1530 (mm) 62.3×37.2×60.2 (in)
PRODUCT WEIGHT	95kg



IF9336 ADDUCTOR

PRODUCT DIMENSION (L×W×H)	1593×1036×1530 (mm) 62.3×40.8×60.2 (in)
PRODUCT WEIGHT	95kg



PL Line >> >

Easy to use, neat appearance, the PL line is a high quality dual/multi functional machines Light commercial/commercial series. This PL line is Impulse dual/multi functional line. The user-friendly design makes working out more simple, efficient, comfortable and satisfying.



* WEIGHT STACK SOLD SEPARATELY

OPTION 1	170lbs/70.4kg
OPTION 2	250lbs/102.4kg

Color: metallic silver gray(Other colors are optional based on customer requirements)



PL9002
LAT PULLDOWN/SEATED ROW

PRODUCT DIMENSION (L×W×H)	1764×1019×2182 (mm) 69.4×40.1×85.9 (in)
PRODUCT WEIGHT	90.5 kg / 200 lbs
40"	136 Sets



PL9010
LEG PRESS/CALF RAISE

PRODUCT DIMENSION (L×W×H)	1938×1148×1520 (mm) 76.3×45.2×59.8 (in)
PRODUCT WEIGHT	111 kg / 245 lbs
40"	88 Sets



PL9021 MULTI PRESS

PRODUCT DIMENSION (L×W×H)	1924×1325×1518 (mm) 75.7×52.2×59.8 (in)
PRODUCT WEIGHT	111.5 kg / 246 lbs
40"	120 Sets



PL9022
REAR DELTOID/PECTORAL FLY

PRODUCT DIMENSION (L×W×H)	1362×1219×2061 (mm) 53.6×48.0×81.1 (in)
PRODUCT WEIGHT	107 kg / 236 lbs
40"	124 Sets



PL9016
OUTER/INNER THIGH

PRODUCT DIMENSION (L×W×H)	1609×722×1515 (mm) 63.3×28.4×59.6 (in)
PRODUCT WEIGHT	99 kg / 218 lbs
40"	130 Sets



PL9019
LEG EXTENSION/LEG CURL

PRODUCT DIMENSION (L×W×H)	1465×1245×1520 (mm) 57.7×49×59.8 (in)
PRODUCT WEIGHT	115.5 kg / 255 lbs
40"	75 Sets



PL9023 BICEPS/TRICEPS

PRODUCT DIMENSION (L×W×H)	1207×1164×1513 (mm) 47.5×45.8×59.6 (in)
PRODUCT WEIGHT	106 kg / 234 lbs
40"	115 Sets




PL9024 AB/LOW BACK

PRODUCT DIMENSION (L×W×H)	1044×1094×1520 (mm) 41.1×43.1×59.8 (in)
PRODUCT WEIGHT	99.5 kg / 219 lbs
40"	135 Sets

Jungle >> >





* WEIGHT STACK SOLD SEPARATELY

OPTION 1	160lbs/68.3kg
OPTION 2	200lbs/85.5kg
OPTION 3	235lbs/102.8kg
OPTION 4	295lbs/129.2kg



* COLOR OPTIONAL.
OPTIONAL FULL OR SMALL SHROUD.



IT9525
ADJUSTABLE HI/LO PULLEY

PRODUCT DIMENSION (LxWxH)	1450x1245x2350(mm) 57.1x49.0x92.5(in)
PRODUCT WEIGHT	137.5kg/303.1lbs



IT9530
DUAL ADJUSTABLE PULLEY

PRODUCT DIMENSION (LxWxH)	1620x1370x2270(mm) 63.8x53.9x89.4(in)
PRODUCT WEIGHT	195.5kg/431lbs



IT9527
4 STACK MULTI-STATION

PRODUCT DIMENSION (LxWxH)	3489x1968x2382(mm) 137.4x77.5x93.8(in)
PRODUCT WEIGHT	308.7kg/680.6lbs



IT9527OPT
CABLE CROSSOVER-TRADITIONAL

PRODUCT DIMENSION (LxWxH)	2824x222x483(mm) 111.2x8.74x19.0(in)
PRODUCT WEIGHT	27.5kg/60.6lbs



IT9525+IT9525+IT9527OPT

PRODUCT DIMENSION (LxWxH)	4196x1436x2360(mm) 165.2x56.5x92.9(in)
------------------------------	-------------------------------------------



IT9525+IT9527+IT9527OPT

PRODUCT DIMENSION (LxWxH)	5089x3489x2380(mm) 200.4x137.4x93.7(in)
------------------------------	--------------------------------------------



IT9527+IT9527+IT9527OPT

PRODUCT DIMENSION (LxWxH)	5982x3489x2380(mm) 235.5x137.4x93.7(in)
------------------------------	--------------------------------------------



IF9325
ADJUSTABLE HI / LO PULLEY

PRODUCT DIMENSION (L×W×H)	1449×1258×2338 (mm) 57.0×49.5×92.0 (in)
PRODUCT WEIGHT	96 kg / 212 lbs
40'	108 Sets


IF9327
4 STACK MULTI-STATION

PRODUCT DIMENSION (L×W×H)	3450×2445×2338 (mm) 135.8×96.3×92.0 (in)
PRODUCT WEIGHT	258.6 kg / 570 lbs
40'	48 Sets



IF9327OPT
CABLE CROSSOVER-TRADITIONAL

PRODUCT DIMENSION (L×W×H)	2505×441×198 (mm) 98.6×17.4×7.8 (in)
PRODUCT WEIGHT	21.5 kg / 47 lbs
40'	526 Sets



CABLE CROSSOVER
IF9325+IF9325+IF9327OPT

PRODUCT DIMENSION (L×W×H)	4138×1448×2355 (mm) 162.9×57.0×92.7 (in)
------------------------------	---------------------------------------------

5 STACK MULTI-STATION
IF9325+IF9327+IF9327OPT

PRODUCT DIMENSION (L×W×H)	5220×3428×2355 (mm) 205.5×135.0×92.7 (in)
------------------------------	----------------------------------------------


• OPTIONAL FULL SHROUD VERSION.



8 STACK MULTI-STATION
IF9327+IF9327+IF9327OPT

PRODUCT DIMENSION (L×W×H)	6262×3428×2355 (mm) 246.5×135.0×92.7 (in)
------------------------------	----------------------------------------------


ES3000 3 STACK MULTI-STATION




Product Dimension (L×W×H)	2694x2440x2148(mm) 106.1x96.1x84.6(in)
Product Weight	299.9kg/661.2lbs
Stacks Weight	91kgx3 (200lbsx3)
OPT Weight	26.5kg



ES3000 OPT HI-LO PULLEY ATTACHMENT




Excellent structural design, easy & quick adjustment seat is for prone leg curls or leg extension exercises which satisfy various muscle groups.



ES9030 DUAL ADJUSTABLE PULLEY
ES7011 BENCH



Conveniently located iPad holder allows user to watch online training videos during the workouts, over-sized bottle holder is within reach.



Fold away bench for easy storage and space saving



ES9030(Long Shroud)

Product Dimension (L×W×H)	1734x1123x2150(mm) 68.3x44.2x84.7(in)
Product Weight	149.5kg/328.9lbs
Stacks Weight	77kgx2 (170lbsx2)




ES9030(Short Shroud)

Product Dimension (L X W X H)	1734x1123x2150(mm) 68.3x44.2x84.7(in)
Product Weight	121.5kg/267.3lbs
Stacks Weight	77kgsx2 (170lbsx2)



ES7011

Product Dimension (L×W×H)	1440x525x490(mm) 56.7x20.7x19.3(in)
Product Weight	34.3kg/75.6lbs



ES7030 DUAL ADJUSTABLE PULLEY



Chin-up/pull-up bar with ergonomic bends for regular grip, wide grip and reverse grip exercises.

31 vertical pulley positions for a large variety of different exercises.

With accessories as lat strap, long bar retractable strap, leg ext/curl strap and tricep rope, DAP offers users dynamic and various workouts.
*Accessories sold separately.



TENSION ROPE

Product Dimension	650(mm)/25.6(in)
Pull	≥450kg/992.1lbs




HANDLE

Product Dimension	1126x35(mm) 44.3x1.4(in)
-------------------	-----------------------------




ES7030

Product Dimension (L×W×H)	1641x916x2142(mm) 64.6x36.1x84.3(in)
Stacks Weight	77kgx2 (170lbsx2)



ES2100 Multi-Functional Trainer with Smith



Product Dimension (L×W×H)	1681x1720x2090(mm) 66.18x67.72x82.28(in)
Product Weight	166.1kg/410.3lbs
Opt Weight Stack	170lbs/200lbs x 2 sets

ES2000 Multi-Functional Trainer with Smith (Plate Loaded)




Product Dimension (L×W×H)	2007x1724x2126(mm) 79.01x67.87x83.70(in)
Product Weight	184kg/405.7lbs

ES2000/2100 Accessory				
Standard	POM Handle	Short Pole	Support Strap	Dip Arm
	Barbell Bar Storage	Ankle Strap	Double-ended Rope	Rowing Foot Pedal
Optional	ES2000OPT1 Pivot	ES2000OPT2 Foam Roller + Hi Pull-down Aluminum Rod		PTSHILO15000 Chop Bar

ECP Line >>>

Impulse Fitness proudly presents the EVOLUTION CURVE Series, a groundbreaking line of plate-loaded strength machines. Incorporating a linkage-adjustable force structure in most models, these machines are tailored to match the strength curve characteristics of specific muscle groups, ensuring user comfort, training efficiency, and safety throughout the workout. Named the EVOLUTION CURVE PLATE-LOADED STRENGTH SERIES, or simply the ECP series, it promises an exceptional training experience.



Compared to traditional plate-loaded equipment, the ECP series offers smoother force lines from the initial lift, ensuring that there is no loss of force toward the end of the movement.



ECP101 SHOULDER PRESS


PRODUCT DIMENSION (L×W×H)	1638×1515×1455 (mm) 64.5×59.6×57.3 (in)
PRODUCT WEIGHT	215 kg/474.0 lbs
MAX. WEIGHT CAPACITY	200 kg/440.9 lbs



ECP201 CHEST PRESS

PRODUCT DIMENSION (L×W×H)	1800×1750×1800 (mm) 70.9×68.9×70.9 (in)
PRODUCT WEIGHT	265 kg/584.2 lbs
MAX. WEIGHT CAPACITY	200 kg/440.9 lbs





Spacious handrail-style assist handles provide better support for users.



Split-function design caters to unilateral and bilateral training needs.



The leg foam can be adjusted in 7 levels.

ECP301 PULLDOWN

PRODUCT DIMENSION (L×W×H)	1745×1645×1932 (mm) 68.7×64.8×76.1 (in)
PRODUCT WEIGHT	210 kg/463.0 lbs
MAX. WEIGHT CAPACITY	200 kg/440.9 lbs



Spacious handrail-style assist handles provide better support.



Dual-handle design with both overhand and underhand grips.



Adjustable chest pad angle with 4 levels.



Low-entry design for easy access on and off the machine.

ECP302 SEATED ROW

PRODUCT DIMENSION (L×W×H)	1600×1800×1100 (mm) 63.0×70.9×43.3 (in)
PRODUCT WEIGHT	190 kg/418.9 lbs
MAX. WEIGHT CAPACITY	120 kg/264.6 lbs



Dual-purpose design with both shoulder and waist carrying options.



Adjustable foot pedal angle with 4 levels from 35° to 50°.



Adjustable safety limit to effectively protect users.

ECP617 HACK SQUAT

PRODUCT DIMENSION (L×W×H)	2185×1290×1416 (mm) 86.0×50.8×55.7 (in)
PRODUCT WEIGHT	315 kg/694.5 lbs
MAX. WEIGHT CAPACITY	400 kg/881.8 lbs



Convenient dual-sided handle adjustments.



Balance weight added.



Adjustable foot pedal angle with six settings and a spacious platform (750*665).

ECP713 SQUAT

PRODUCT DIMENSION (L×W×H)	2300×1260×1790 (mm) 90.6×49.6×70.5 (in)
PRODUCT WEIGHT	330 kg/727.5 lbs
MAX. WEIGHT CAPACITY	400 kg/881.8 lbs



SL Line >> >

Easy to use, neat appearance, the SL line is a high quality commercial plate loaded series. The user-friendly design makes working out more simple, efficient, comfortable and satisfying.

Tubing: thickness range from 2.5 mm to 3mm, 50mmx100mm tubing, electro-welded to maximum integrity.

Color: black and red (Other colors are optional based on customer requirements)

Finish: Electrostatic powder-coated and heat cured after adhesiveness enhancement pre-treatment for superior durability



Compact - space efficient design requires minimal floor space.

Pad total thickness is 70mm.

Easy-to-use, flexible adjustments allow for optimal exercise positions.



* COLOR OPTIONAL



SL7001 CHEST PRESS

PRODUCT DIMENSION (L×W×H)	1937×1370×1717 (mm) 76.3×53.9×67.6 (in)
PRODUCT WEIGHT	170.5 kg / 375.9 lbs
40"	70 Sets
MAX. WEIGHT CAPACITY	300 Kg / 660 lbs



SL7002 PULLDOWN

PRODUCT DIMENSION (L×W×H)	1482×1489×1967 (mm) 58.3×58.6×77.4 (in)
PRODUCT WEIGHT	169 kg / 372.6 lbs
40"	81 Sets
MAX. WEIGHT CAPACITY	300 kg / 660 lbs



SL7005 INCLINE CHEST PRESS

PRODUCT DIMENSION (L×W×H)	1900×1523×1779 (mm) 74.8×60×70 (in)
PRODUCT WEIGHT	184 kg / 405.7 lbs
40"	72 Sets
MAX. WEIGHT CAPACITY	300 kg / 660 lbs



SL7006 LEG PRESS

PRODUCT DIMENSION (L×W×H)	2226×1421×1415 (mm) 87.6×55.9×55.7 (in)
PRODUCT WEIGHT	195 kg / 429.9 lbs
40"	65 Sets
MAX. WEIGHT CAPACITY	400 kg / 880 lbs



SL7003 SHOULDER PRESS

PRODUCT DIMENSION (L×W×H)	1558×1818×1487 (mm) 61.3×71.6×58.5 (in)
PRODUCT WEIGHT	171.5 kg / 378.1 lbs
40"	89 Sets
MAX. WEIGHT CAPACITY	300 kg / 660 lbs



SL7004 LOW ROW

PRODUCT DIMENSION (L×W×H)	1761×1458×1650 (mm) 69.3×57.4×65 (in)
PRODUCT WEIGHT	170 kg / 374.8 lbs
40"	69 Sets
MAX. WEIGHT CAPACITY	300 kg / 660 lbs



SL7007 ROW

PRODUCT DIMENSION (L×W×H)	1815×1500×1334 (mm) 71.5×59.1×52.5 (in)
PRODUCT WEIGHT	160 kg / 352.7 lbs
40"	87 Sets
MAX. WEIGHT CAPACITY	300 kg / 660 lbs



SL7008 REAR KICK

PRODUCT DIMENSION (L×W×H)	1680×1229×1636 (mm) 66.1×48.4×64.4 (in)
PRODUCT WEIGHT	144 kg / 317.5 lbs
40"	82 Sets
MAX. WEIGHT CAPACITY	150kg / 330lbs



SL7013 GLUTE HAM BENCH

PRODUCT DIMENSION (L×W×H)	1562×914×1477 (mm) 61.5×36×58.1 (in)
PRODUCT WEIGHT	70 kg / 154 lbs
40"	105 Sets



SL7017 SEATED CALF RAISE

PRODUCT DIMENSION (L×W×H)	1475×765×845 (mm) 58×30.1×33.3 (in)
PRODUCT WEIGHT	56 kg / 123 lbs
40"	174 Sets
MAX. WEIGHT CAPACITY	150 kg / 330 lbs




SL7019 INCLINE ROW

PRODUCT DIMENSION (L×W×H)	1960×1020×1253 (mm) 77.2×40.2×49.3 (in)
PRODUCT WEIGHT	89 kg / 196 lbs
40"	97 Sets
MAX. WEIGHT CAPACITY	150 kg / 330 lbs



SL7021 HACK SQUAT

PRODUCT DIMENSION (L×W×H)	2205×1880×1285 (mm) 86.8×74×50.6 (in)
PRODUCT WEIGHT	235.5 kg / 519.2 lbs
MAX. WEIGHT CAPACITY	400 kg / 880 lbs



SL7020 45 LEG PRESS

PRODUCT DIMENSION (L×W×H)	2499×1879×1544 (mm) 98.4×74×60.8 (in)
PRODUCT WEIGHT	249kg / 548lbs
40"	58 Sets
MAX. WEIGHT CAPACITY	450kg / 990lbs





SL7023 BICEP CURL

PRODUCT DIMENSION (L×W×H)	1492×1045×1204 (mm) 58.7×41.1×47.4 (in)
PRODUCT WEIGHT	114 kg / 251.3 lbs
40°	96 Sets
MAX. WEIGHT CAPACITY	120 kg / 264 lbs



SL7024 TRICEP DIP

PRODUCT DIMENSION (L×W×H)	1733×1580×1202 (mm) 68.2×62.2×47.3 (in)
PRODUCT WEIGHT	166.3 kg / 366.6 lbs
MAX. WEIGHT CAPACITY	300 kg / 660 lbs



SL7032 STANDING CALF RAISE

PRODUCT DIMENSION (L×W×H)	1615×1375×1730 (mm) 63.6×54.1×68.1 (in)
PRODUCT WEIGHT	146.2 kg/322.3 lbs
MAX. WEIGHT CAPACITY	300 kg/660 lbs



SL7034 SQUAT

PRODUCT DIMENSION (L×W×H)	2260x1260x1800 (mm) 88.9x49.6x70.9 (in)
PRODUCT WEIGHT	212 kg/467.4 lbs
MAX. WEIGHT CAPACITY	400 kg/880 lbs



SL7025 LEG EXTENSION

PRODUCT DIMENSION (L×W×H)	1270×1690×1005 (mm) 50×66.5×39.6 (in)
PRODUCT WEIGHT	130.9 kg / 288.6 lbs
MAX. WEIGHT CAPACITY	300 kg / 660 lbs



SL7026 LEG CURL

PRODUCT DIMENSION (L×W×H)	1430×1045×1200 (mm) 56.3×41.1×47.2 (in)
PRODUCT WEIGHT	141.1 kg / 311.1 lbs
MAX. WEIGHT CAPACITY	120 kg / 264 lbs



SL7036 ABDOMINAL

PRODUCT DIMENSION (L×W×H)	1623×1267×1642 (mm) 63.9×49.9×64.6 (in)
PRODUCT WEIGHT	133 kg/291 lbs
MAX. WEIGHT CAPACITY	120 kg/264 lbs





SL7038 TOTAL HIP

PRODUCT DIMENSION (L×W×H)	1620×1610×1110 (mm) 63.8×63.4×43.7 (in)
PRODUCT WEIGHT	114.7 kg/253 lbs
MAX. WEIGHT CAPACITY	150 kg/331 lbs



SL7039 STANDING PRESS

PRODUCT DIMENSION (L×W×H)	2170×2000×2135 (mm) 85.4×78.7×84.1 (in)
PRODUCT WEIGHT	181.4 kg/399.9 lbs
MAX. WEIGHT CAPACITY	300 kg/661 lbs



SL7028 FLAT BENCH PRESS

PRODUCT DIMENSION (L×W×H)	1910×1738×1315 (mm) 75.2×68.4×51.8 (in)
PRODUCT WEIGHT	111 kg/244.7 lbs
MAX. WEIGHT CAPACITY	300 kg/660 lbs



SL7029 INCLINE BENCH PRESS

PRODUCT DIMENSION (L×W×H)	2059×1738×1496 (mm) 81.1×68.4×58.9 (in)
PRODUCT WEIGHT	109 kg/240.3 lbs
MAX. WEIGHT CAPACITY	300 kg/660 lbs



SL7040 SQUAT LUNGE

PRODUCT DIMENSION (L×W×H)	1700×1670×640 (mm) 66.9×65.7×25.2 (in)
PRODUCT WEIGHT	123 kg/271 lbs
MAX. WEIGHT CAPACITY	300 kg/661 lbs



SL7030 DECLINE BENCH PRESS

PRODUCT DIMENSION (L×W×H)	2188×1738×1315 (mm) 86.1×68.4×51.8 (in)
PRODUCT WEIGHT	110.3 kg/243.2 lbs
MAX. WEIGHT CAPACITY	300 kg/660 lbs



SL7031 SHOULDER BENCH PRESS

PRODUCT DIMENSION (L×W×H)	1719×1261×1920 (mm) 67.7×49.6×75.6 (in)
PRODUCT WEIGHT	146.5 kg/323.0 lbs
MAX. WEIGHT CAPACITY	400 kg/880 lbs



SL7009 POWER RACK

PRODUCT DIMENSION (L×W×H)	2031×1499×2278 (mm) 80×59×89.7 (in)
PRODUCT WEIGHT	200 kg / 441 lbs
40"	82 Sets

SL7009OPT
WEIGHT PLATE RACK OPTION

PRODUCT DIMENSION (L×W×H)	1674×717×2199 (mm) 65.9×28.2×86.6 (in)
PRODUCT WEIGHT	63.5 kg / 140 lbs
40"	144 Sets



SL7010 PLATE RACK

PRODUCT DIMENSION (L×W×H)	891×628×1228 (mm) 35.1×24.7×48.3 (in)
PRODUCT WEIGHT	44 kg / 97 lbs
40"	242 Sets



SL7027 BARBELL RACK

PRODUCT DIMENSION (L×W×H)	950×910×1612 (mm) 37.4×35.8×63.5 (in)
PRODUCT WEIGHT	73 kg / 161 lbs
40"	112 Sets




SL7014 HALF POWER RACK

PRODUCT DIMENSION (L×W×H)	1390×1747×2442 (mm) 54.7×68.8×96.1 (in)
PRODUCT WEIGHT	153 kg / 337 lbs
40"	108 Sets



SL7015 FULL POWER RACK

PRODUCT DIMENSION (L×W×H)	1966×1747×2442 (mm) 77.4×68.8×96.1 (in)
PRODUCT WEIGHT	216 kg / 476 lbs
40"	83 Sets



SL7016 DUMBBELL RACK

PRODUCT DIMENSION (L×W×H)	2260×760×740 (mm) 89.0×29.9×29.1 (in)
PRODUCT WEIGHT	75.9 kg / 167.3 lbs
40"	240 Sets
MAX. WEIGHT CAPACITY	700 kg / 1540 lbs



SL7011 FID BENCH

PRODUCT DIMENSION (L×W×H)	1350×670×1350 (mm) 53.1×26.4×53.1 (in)
PRODUCT WEIGHT	44 kg / 97 lbs
MAX. WEIGHT CAPACITY	252 Sets



SL7012 FID BENCH

PRODUCT DIMENSION (L×W×H)	1550×670×1350 (mm) 61×26.4×53.1 (in)
PRODUCT WEIGHT	47 kg / 104 lbs
MAX. WEIGHT CAPACITY	252 Sets



SL7041 SUPER OLYMPIC BENCH

PRODUCT DIMENSION (L×W×H)	2410×1743×1622 (mm) 94.9×68.6×63.9 (in)
PRODUCT WEIGHT	141.3 kg/312 lbs
MAX. WEIGHT CAPACITY	300 kg/661 lbs

SL7042
MAGIC RACK/SMITH MACHINE

PRODUCT DIMENSION (L×W×H)	2315×2241×2391 (mm) 91.1×88.2×94.1 (in)
PRODUCT WEIGHT	313.4 kg/690.9 lbs
MAX. WEIGHT CAPACITY	300 kg/661 lbs



SL7018 ARM CURL

PRODUCT DIMENSION (L×W×H)	1136×860×1016 (mm) 44.7×33.9×40.0 (in)
PRODUCT WEIGHT	70 kg/154.3 lbs
MAX. WEIGHT CAPACITY	300 kg/661.4 lbs



SL7022 UTILITY BENCH

PRODUCT DIMENSION (L×W×H)	1191×630×822 (mm) 46.9×24.8×32.4 (in)
PRODUCT WEIGHT	27.8 kg / 61.3 lbs
MAX. WEIGHT CAPACITY	253 Sets



SL7035 FLAT BENCH

PRODUCT DIMENSION (L×W×H)	1281×630×425 (mm) 50.4×24.8×16.7 (in)
PRODUCT WEIGHT	25.3 kg/55.8 lbs
MAX. WEIGHT CAPACITY	300 kg/660 lbs



SL7043 MULTI AB BENCH

PRODUCT DIMENSION (L×W×H)	1722×630×912 (mm) 67.8×24.8×35.9 (in)
PRODUCT WEIGHT	54 kg/119 lbs
MAX. WEIGHT CAPACITY	150 kg/331 lbs



SL7044 STRETCH

PRODUCT DIMENSION (L×W×H)	1567×630×1263 (mm) 61.7×24.8×49.7 (in)
PRODUCT WEIGHT	50 kg/110 lbs
MAX. WEIGHT CAPACITY	150 kg/331 lbs



SL7045
VERTICAL KNEE RAISE/DIP STAND

PRODUCT DIMENSION (L×W×H)	1189×765×1537 (mm) 46.8×30.1×60.5 (in)
PRODUCT WEIGHT	74.3 kg/163.8 lbs
MAX. WEIGHT CAPACITY	150 kg/331 lbs



SL7045OPT
CHIN-UP ATTACHMENT

PRODUCT DIMENSION (L×W×H)	1189×1157×2388 (mm) 46.8×45.6×94.0 (in)
PRODUCT WEIGHT	31.5 kg/69 lbs
MAX. WEIGHT CAPACITY	150 kg/331 lbs



SL7051
ASSISTED NORDIC HAM

PRODUCT DIMENSION (L×W×H)	1648×1323×1684 (mm) 64.9×52.1×66.3 (in)
PRODUCT WEIGHT	101 kg/222.7 lbs
MAX. WEIGHT CAPACITY	100 kg/220.5 lbs



SL7055 BELT SQUAT

PRODUCT DIMENSION (L×W×H)	1972×1541×1137 (mm) 77.6×60.7×44.8 (in)
PRODUCT WEIGHT	146 kg/321.9 lbs
MAX. WEIGHT CAPACITY	300 kg/661 lbs



SL7046
ISO-LATERAL SUPER CHEST PRESS

PRODUCT DIMENSION (L×W×H)	2502×2179×1136 (mm) 98.5×85.8×44.7 (in)
PRODUCT WEIGHT	147.5 kg/325.2 lbs
MAX. WEIGHT CAPACITY	150 kg/331 lbs



SL7047 MULTI HYPER EXTENSION

PRODUCT DIMENSION (L×W×H)	1340×947×765 (mm) 52.8×37.3×30.1 (in)
PRODUCT WEIGHT	55.2 kg/122 lbs
MAX. WEIGHT CAPACITY	150 kg/331 lbs



SL7057 PENDULUM SQUAT

PRODUCT DIMENSION (L×W×H)	2252×1314×1675 (mm) 88.7×51.7×65.9 (in)
PRODUCT WEIGHT	250 kg/551.2 lbs
MAX. WEIGHT CAPACITY	200 kg/440.9 lbs



HSP7051
HIGH PRONE ROW BENCH

PRODUCT DIMENSION (L×W×H)	1790×1310×1180 (mm) 70.5×51.6×46.5 (in)
PRODUCT WEIGHT	80kg/176.4lbs




HSP7053 LEG CURL

PRODUCT DIMENSION (L×W×H)	1705×620×742 (mm) 67.1×24.4×29.2 (in)
PRODUCT WEIGHT	40kg/88.2lbs




HSP7052 HIGH ROW

PRODUCT DIMENSION (L×W×H)	1875×1713×2123 (mm) 73.8×67.4×83.6 (in)
PRODUCT WEIGHT	160kg/352.7lbs



IFP Line >>>

- **Professional:** The 14 sets of products include equipment for exercising various muscle groups such as the chest, shoulder, back, legs, and arms. They are designed in strict accordance with parameters such as human mechanics and muscle force lines. This series of equipment is not limited to the training of conventional large muscle groups, but also takes into account the more specialized movement pattern training and more subdivided product design.
- **Functionality:** The 14 sets of products include several multi-functional products, which can meet the needs of multi-function, multi-muscle group and multi-action without affecting the use of a single function.It greatly solves the requirements of the site environment, two machines to one but not compromise on the function.
- **Simplicity:** On the basis of not sacrificing functionality, IFP series reduces the overall occupied area through structural design, so that more equipment can be arranged in the same area, which meets the needs of fitness practitioners for equipment diversity. And the overall structure is simple, reducing useless structures without affecting the maximum weight capacity, frequency of use, and intensity of use.



- Dual-position handle design to meet the needs of trainees with different arm spans and different shoulder press distances.
- Inclined backrest to significantly reduce pressure on the lower back while in a seated position.
- Pivot point height matched to the user's shoulder height, providing a more comfortable user experience and precise muscle stimulation.
- Limited-range mechanism for the moving arm to control its range of motion, preventing overextension and ensuring exercise safety.

IFP1101 SEATED SHOULDER PRESS

PRODUCT DIMENSION (L×W×H)	1579×1520×1069 (mm) 62.2×59.8×42.1 (in)
PRODUCT WEIGHT	87 kg/191.8 lbs
MAX. WEIGHT CAPACITY	300 kg/661.4 lbs



- The height of the turning point matches the height of the user's shoulder, giving the user a more comfortable experience and precise stimulation of muscle groups.
- Limit the use range of the lift-arm to avoid overextension.
- The movable handle can meet the holding positions of users with different arm spans.

IFP1103 STANDING LATERAL RAISE

PRODUCT DIMENSION (L×W×H)	1165×885×1550 (mm) 45.9×34.8×61.0 (in)
PRODUCT WEIGHT	57.3 kg/126.3 lbs
MAX. WEIGHT CAPACITY	200 kg/440.9 lbs



IFP1201 SEATED CHEST PRESS

PRODUCT DIMENSION (L×W×H)	1276×984×1248 (mm) 50.2×38.7×49.1 (in)
PRODUCT WEIGHT	64.2 kg/141.5lbs
MAX. WEIGHT CAPACITY	200 kg/440.9 lbs



IFP1206 STANDING CHEST FLY

PRODUCT DIMENSION (L×W×H)	1515×1310×1491 (mm) 59.6×51.6×58.7 (in)
PRODUCT WEIGHT	70 kg/154.3 lbs
MAX. WEIGHT CAPACITY	200 kg/440.9 lbs



IFP1301 LAT PULLDOWN

PRODUCT DIMENSION (L×W×H)	1703×1339×2047 (mm) 67.0×52.7×80.6 (in)
PRODUCT WEIGHT	95 kg/216.1 lbs
MAX. WEIGHT CAPACITY	200 kg/440.9 lbs




IFP1302 SEATED ROW

PRODUCT DIMENSION (L×W×H)	1470×1020×1340 (mm) 57.9×40.2×52.8 (in)
PRODUCT WEIGHT	77.5 kg/170.9 lbs
MAX. WEIGHT CAPACITY	200 kg/440.9 lbs



IFP1305 T-BAR ROW

PRODUCT DIMENSION (L×W×H)	2079×908×635 (mm) 81.9×35.7×25.0 (in)
PRODUCT WEIGHT	23 kg/50.7 lbs
MAX. WEIGHT CAPACITY	150 kg/330.7 lbs



IFP1501 BICEP CURL

PRODUCT DIMENSION (L×W×H)	1302×707×988 (mm) 51.3×27.8×38.9 (in)
PRODUCT WEIGHT	56 kg/123.5 lbs
MAX. WEIGHT CAPACITY	200 kg/440.9 lbs



IFP1604 PRONE LEG CURL

PRODUCT DIMENSION (L×W×H)	1623×1202×798 (mm) 63.9×47.3×31.4 (in)
PRODUCT WEIGHT	75.9 kg/167.3 lbs
MAX. WEIGHT CAPACITY	150 kg/330.7 lbs



IFP1605 SEATED LEG EXTENSION

PRODUCT DIMENSION (L×W×H)	1246×1173×995 (mm) 49.2×46.2×39.2 (in)
PRODUCT WEIGHT	63.4 kg/139.8 lbs
MAX. WEIGHT CAPACITY	150 kg/330.7 lbs



Equipped with starting handle, the position is convenient for users to operate, safe and reliable.
Multi-level safety limit provides multiple starting positions to meet the needs of users of different heights.



There are handles at the bottom and next to the foot pedal, which are convenient for users to get on and off the machine.



The back pad is angled to fit the angle of the body during the kick to avoid excessive backward pelvis.

IFP1613 VERTICAL LEG PRESS

PRODUCT DIMENSION (L×W×H)	1655×1214×1711 (mm) 65.2×47.8×67.4 (in)
PRODUCT WEIGHT	110.4 kg/243.4 lbs
MAX. WEIGHT CAPACITY	350 kg/771.6 lbs



Fixed armrests, users can hold on to stabilize the core muscles during training, and focus more on lower limbs.



The starting handle with the spring can automatically spring back after starting, providing convenience for users.



Multiple belt hanging points to meet the needs of users of different heights.



Equipped with fast buckle belt, easy for users to get on and off the machine.

IFP1615 BELT SQUAT

PRODUCT DIMENSION (L×W×H)	1615×1250×1032 (mm) 63.6×49.2×40.6 (in)
PRODUCT WEIGHT	77.5kg/170.9 lbs
MAX. WEIGHT CAPACITY	350 kg/771.6 lbs



The height of the leg pad can be adjusted for easy user access to the machine.



The leg pad can be adjusted both forward and backward, accommodating users of different heights and leg lengths.



The pedal angle is inclined and coated with non-slip paint.

Elastic band attachment points allow for maximum stimulation of the target muscle groups without loss of tension at the end of the range of motion.

IFP1616 VERTICAL HIP THRUST

PRODUCT DIMENSION (L×W×H)	1220×1098×1165 (mm) 48.0×43.2×45.9 (in)
PRODUCT WEIGHT	67.5 kg/148.8 lbs
MAX. WEIGHT CAPACITY	150 kg/330.7 lbs



The back pad is divided into two pieces and is interlocked at an angle to better fit the user's back, which is ergonomic and provides enough support for the user's back. Meanwhile, the split back pad design is convenient for later maintenance and replacement.



The safety limit has two adjustable levels to meet the needs of users of different heights.

IFP1617 HACK SQUAT

PRODUCT DIMENSION (L×W×H)	1982×1485×1318 (mm) 78.0×58.5×51.9 (in)
PRODUCT WEIGHT	100.6 kg/221.8 lbs
MAX. WEIGHT CAPACITY	350 kg/771.6 lbs



The elbow pad sinks down, conforming to ergonomic design principles.



Equipped with foot pedals for easy user access to and from the machine.



Soft wrist straps distribute force evenly on the ankles, reducing pressure sensation.

IFP1619 REVERSE HYPEREXTENSION

PRODUCT DIMENSION (L×W×H)	1310×797×1153 (mm) 51.6×31.4×45.4 (in)
PRODUCT WEIGHT	66 kg/145.5 lbs
MAX. WEIGHT CAPACITY	100 kg/220.5 lbs



It can perform standing abductor and sitting abductor training, and the fixed armrest can help users maintain body balance during sitting abductor training.



Extended leg pads to meet the needs of users of different heights.



The foot pedals have anti-slip textures and the edges are cuffed to protect the user's feet from slipping and falling out.



Equipped with auxiliary pedals, which is convenient for users to get on and off the machine.

IFP1622 STANDING HIP ABDUCTOR

PRODUCT DIMENSION (L×W×H)	1720×595×1280 (mm) 67.7×23.4×50.4 (in)
PRODUCT WEIGHT	83.9kg/185.0 lbs
MAX. WEIGHT CAPACITY	150 kg/330.7 lbs



The length and shape of the seat cushion are ergonomic.



The height of the leg pads can be adjusted to meet the needs of users of different heights.



The leg pads can swing back and forth slightly to enhance user comfort.

IFP1623 SEATED CALF RAISE

PRODUCT DIMENSION (L×W×H)	1368×566×849 (mm) 53.9×22.3×33.4 (in)
PRODUCT WEIGHT	38.5kg/84.9 lbs
MAX. WEIGHT CAPACITY	100 kg/220.5 lbs



Standard with short bar for bicep curl training.



The angle of the back pad is inclined to give the user enough back support.



The height of the seat cushion is adjusted by the tooth plate, and it automatically rebounds with the back spring, which is more convenient to adjust and can be operated with one hand.

IFP1706 BICEPS/TRICEPS

PRODUCT DIMENSION (L×W×H)	1092×708×1387 (mm) 43.0×27.9×50.7 (in)
PRODUCT WEIGHT	47.3 kg/104.3 lbs
MAX. WEIGHT CAPACITY	200 kg/440.9 lbs



The shoulder pads are rounded and ergonomically designed to make the user's shoulders fit better.
Double-angled shoulder pads prevent the user's shoulders from sliding on the shoulder pads.



The starting handle cooperates with the spring to automatically rebound. After the user starts, the middle support structure automatically rebounds and is still within the controllable range of the user's hand.



The starting height can be adjusted to meet the needs of users of different heights.



The pedals are bent for calf training.

IFP1707 LEVERAGE SQUAT/CALF

PRODUCT DIMENSION (L×W×H)	1490×1445×1550 (mm) 58.7×56.9×61.0 (in)
PRODUCT WEIGHT	115.5 kg/254.6 lbs
MAX. WEIGHT CAPACITY	350 kg/771.6 lbs



Both the foot pedal and shoulder pads can be folded and retracted with one hand to provide convenience for the user to switch between the Hack squat and reverse leg press functions.



The safety handles are easily accessible on both sides, which ensure the safety during use.



The foot pedal angle adjustment can be operated with one hand, which is convenient for users to adjust.

IFP1711 HACK SQUAT/LEG PRESS

PRODUCT DIMENSION (L×W×H)	2634×1020×1373 (mm) 103.7×40.2×54.1 (in)
PRODUCT WEIGHT	150.5 kg/331.8 lbs
MAX. WEIGHT CAPACITY	350 kg/771.6 lbs



Multi-functional equipment, equipped with multiple-position pull-up handles to meet the user's needs for different exercises.



Smith machine with multiple attachment points, allowing users to start and stop the training at any height.

Equipped with smith machine safety stops to protect users from injuries due to bar disengagement.

Rail travel range accommodates floor exercises such as bent-over rows, deadlifts, and hip thrusts.

Front-side equipped with squat safety hooks and safety stops, meeting the user's training needs for free-weight squats.

IFP1721 HALF CAGE/SMITH MACHINE

PRODUCT DIMENSION (L×W×H)	1404×1850×2343 (mm) 55.3×72.8×92.2 (in)
PRODUCT WEIGHT	77.5 kg/170.9 lbs
MAX. WEIGHT CAPACITY	250 kg/551.2 lbs



Dual-function attachments for high pulldown and seated row exercises, meeting the user's need for versatile training options.

Equipped with handle hooks as standard.

IFP1721OPT LAT PULLDOWN SEATED ROW ATTACHMENT

PRODUCT DIMENSION (L×W×H)	1451×1231×2307 (mm) 57.1×48.5×90.8 (in)
PRODUCT WEIGHT	38.6 kg/85.1 lbs
MAX. WEIGHT CAPACITY	200 kg/440.9 lbs



IT7001 SMITH

PRODUCT DIMENSION (L×W×H)	2241×1326×2370 (mm) 88.2×52.2×93.3 (in)
PRODUCT WEIGHT	178 kg / 392 lbs
40"	58 Sets
MAX. WEIGHT CAPACITY	200 kg / 440 lbs



IT7002 SEATED PREACHER CURL

PRODUCT DIMENSION (L×W×H)	919×803×882 (mm) 36.2×31.6×34.7 (in)
PRODUCT WEIGHT	41 kg / 90 lbs
40"	260 Sets



IT7004 STRETCH

PRODUCT DIMENSION (L×W×H)	1274×552×997 (mm) 50.2×21.7×39.3 (in)
PRODUCT WEIGHT	35 kg / 77 lbs
40"	280 Sets



IT7005 SEATED CALF RAISE

PRODUCT DIMENSION (L×W×H)	1356×751×831 (mm) 53.4×29.6×32.7 (in)
PRODUCT WEIGHT	50 kg / 110 lbs
40"	297 Sets
MAX. WEIGHT CAPACITY	100 kg / 220 lbs



* COLOR OPTIONAL.



IT7003 AB BENCH

PRODUCT DIMENSION (L×W×H)	1745×936×997 (mm) 68.7×36.9×39.3 (in)
PRODUCT WEIGHT	57 kg / 126 lbs
40"	110 Sets



IT7006 LEG PRESS/HACK SQUAT

PRODUCT DIMENSION (L×W×H)	2253×975×1475 (mm) 88.7×38.4×58.1 (in)
PRODUCT WEIGHT	166.3 kg / 367 lbs
40"	66 Sets
MAX. WEIGHT CAPACITY	200 kg / 440 lbs



IT7007 MULTI HYPEREXTENSION

PRODUCT DIMENSION (L×W×H)	1312×749×814 (mm) 51.7×29.5×32 (in)
PRODUCT WEIGHT	43.5 kg / 96 lbs
40"	231 Sets



IT7019 INCLINE ROW

PRODUCT DIMENSION (L×W×H)	1965×1009×1262 (mm) 77.4×39.7×49.7 (in)
PRODUCT WEIGHT	77.5 kg / 171 lbs
40"	140 Sets
MAX. WEIGHT CAPACITY	150 kg / 330 lbs



IT7020 45 LEG PRESS

PRODUCT DIMENSION (L×W×H)	2199×1016×1494 (mm) 86.6×40×58.8 (in)
PRODUCT WEIGHT	140.5 kg / 310 lbs
40"	71 Sets
MAX. WEIGHT CAPACITY	200 kg / 440 lbs



IT7014 FLAT BENCH PRESS

PRODUCT DIMENSION (L×W×H)	1657×1658×1373 (mm) 65.2×65.3×54.1 (in)
PRODUCT WEIGHT	82 kg / 181 lbs
40"	126 Sets



IT7014OPT SPOTTER STAND

PRODUCT DIMENSION (L×W×H)	661×442×262 (mm) 26.0×17.4×10.3 (in)
PRODUCT WEIGHT	25.1 kg/55.2 lbs
40"	680 Sets



IT7010 VERTICAL KNEE RAISE

PRODUCT DIMENSION (L×W×H)	1131×781×1515 (mm) 44.5×30.7×59.6 (in)
PRODUCT WEIGHT	53 kg / 117 lbs
40"	160 Sets



IT7010EOPT CHIN-UP ATTACHMENT

DIMENSION (L×W×H)	2299×930×660 (mm) 90.5×36.6×26 (in)
PRODUCT WEIGHT	30.5kg/67.3lbs



IT7015 INCLINE BENCH PRESS

PRODUCT DIMENSION (L×W×H)	1632×1658×1373 (mm) 64.3×65.3×54.1 (in)
PRODUCT WEIGHT	106.5 kg / 235 lbs
40"	112 Sets




IT7016 DECLINE BENCH PRESS

PRODUCT DIMENSION (L×W×H)	2103×1658×1370 (mm) 82.8×65.3×53.9 (in)
PRODUCT WEIGHT	87 kg / 192 lbs
40"	126 Sets



IT7013 MULTI AB BENCH

PRODUCT DIMENSION (L×W×H)	1738×725×899 (mm) 68.4×28.5×35.4 (in)
PRODUCT WEIGHT	42.5 kg / 94 lbs
40°	140 Sets



IT7009 FLAT BENCH

PRODUCT DIMENSION (L×W×H)	1200×748.6×426(mm) 47.2×29.5×16.8 (in)
PRODUCT WEIGHT	27.5 kg / 61 lbs
40°	220 Sets



IT7011 MULTI-ADJUSTABLE BENCH

PRODUCT DIMENSION (L×W×H)	1212×750×465 (mm) 47.7×29.5×18.3 (in)
PRODUCT WEIGHT	40 kg / 88 lbs
40°	207 Sets




IT7022 UTILITY BENCH

PRODUCT DIMENSION (L×W×H)	1165×603×818 (mm) 45.9×23.7×32.2 (in)
PRODUCT WEIGHT	21.3 kg / 47 lbs
40°	308 Sets



IT7030 ROMAN CHAIR

DIMENSION (L×W×H)	985×726×625 (mm) 38.8×28.6×24.6 (in)
PRODUCT WEIGHT	35kg/77.2lbs



IT7012 DUMBBELL RACK

PRODUCT DIMENSION (L×W×H)	1508×814×938(mm) 59.4×32.0×36.9(in)
PRODUCT WEIGHT	71 kg/156lbs
40"	140Sets



IT7018 DUMBBELL RACK

PRODUCT DIMENSION (L×W×H)	1580×814×982 (mm) 62.2×32×38.7 (in)
40"	140 Sets



IT7017 WEIGHT PLATE TREE

PRODUCT DIMENSION (L×W×H)	950×610×1220 (mm) 37.4×24×48 (in)
PRODUCT WEIGHT	26 kg / 57 lbs
40"	264 Sets



IT7027 BARBELL RACK

PRODUCT DIMENSION (L×W×H)	919×907×1612 (mm) 36.2×35.7×63.5 (in)
PRODUCT WEIGHT	68 kg / 150 lbs
40"	112 Sets



IT7032 OLYMPIC BAR RACK

DIMENSION (L×W×H)	960×710×1086(mm) 37.8×28×42.8(in)
PRODUCT WEIGHT	47 kg/103.7 lbs
MAX. WEIGHT CAPACITY	300 kg/660 lbs




IT7031 SHOULDER BENCH PRESS

DIMENSION (L×W×H)	1349×1126×1651 (mm) 53.1×44.3×65(in)
PRODUCT WEIGHT	86.5 kg/190.9 lbs
MAX. WEIGHT CAPACITY	300 kg/660 lbs

IT7033 MAX RACK

DIMENSION (L×W×H)	2000×1410×2185(mm) 78.7×55.5×86(in)
PRODUCT WEIGHT	199.4 kg/440 lbs
MAX. WEIGHT CAPACITY	200 kg/440 lbs





IFHC
HALF CAGE

PRODUCT DIMENSION (L×W×H)	1681×1720×2090 (mm) 66.2×67.7×82.3 (in)
PRODUCT WEIGHT	100 kg / 221 lbs
40"	150 Sets



IFHCL
HALF CAGE LAT ATTACHMENT

PRODUCT DIMENSION (L×W×H)	1800×400×2100 (mm) 70.9×15.7×82.7 (in)
PRODUCT WEIGHT	41 kg / 90 lbs
40"	234 Sets



IFHCS
HALF CAGE SMITH ATTACHMENT

PRODUCT DIMENSION (L×W×H)	1946×300×1727 (mm) 76.6×11.8×68 (in)
PRODUCT WEIGHT	33 kg / 73 lbs
40"	425 Sets
MAX. WEIGHT CAPACITY	200 kg / 440 lbs

IFLATM
LAT MACHINE

PRODUCT DIMENSION (L×W×H)	1452×1224×2129 (mm) 57.2×48.2×83.8 (in)
PRODUCT WEIGHT	55.9 kg / 122 lbs
40"	302 Sets



IFPCL
POWER CAGE LAT ATTACHMENT

PRODUCT DIMENSION (L×W×H)	1212×945×2053 (mm) 47.7×37.2×80.8 (in)
PRODUCT WEIGHT	31.8 kg / 70 lbs
40"	420 Sets



IFPC
POWER CAGE

PRODUCT DIMENSION (L×W×H)	1576×1256×2149 (mm) 62.0×49.4×84.6 (in)
PRODUCT WEIGHT	114 kg / 251 lbs
40"	90 Sets





**IF45 45-DEGREE
HYPEREXTENSION**

PRODUCT DIMENSION (L×W×H)	1224×743×739 (mm) 48.2×29.3×29.1 (in)
PRODUCT WEIGHT	23.5 kg / 52 lbs
40"	340 Sets



**IFAH ADJUSTABLE
HYPEREXTENSION BENCH**

PRODUCT DIMENSION (L×W×H)	1260×743×917 (mm) 49.6×29.3×36.1 (in)
PRODUCT WEIGHT	36 kg / 79 lbs
40"	360 Sets



**IFRC
ROMAN CHAIR**

PRODUCT DIMENSION (L×W×H)	1361×743×1091 (mm) 53.6×29.3×43 (in)
PRODUCT WEIGHT	30.5 kg / 67 lbs
40"	504 Sets



**IFFB
FLAT BENCH**

PRODUCT DIMENSION (L×W×H)	1303×526×490 (mm) 51.3×20.7×19.3 (in)
PRODUCT WEIGHT	19.5 kg / 43 lbs
40"	532 Sets



**IFUB
UTILITY BENCH**

PRODUCT DIMENSION (L×W×H)	862×596×874 (mm) 33.9×23.5×34.4 (in)
PRODUCT WEIGHT	12.7 kg / 28 lbs
40"	375 Sets



**IFFI
FLAT/INCLINE BENCH**

PRODUCT DIMENSION (L×W×H)	1603×654×498 (mm) 63.1×25.7×19.6 (in)
PRODUCT WEIGHT	30 kg / 66 lbs
40"	396 Sets



**IFSPC SEATED
PREACHER CURL**

PRODUCT DIMENSION (L×W×H)	1021×712×870 (mm) 40.2×28×34.3 (in)
PRODUCT WEIGHT	24.7 kg / 54 lbs
40"	420 Sets



**IFAAB ADJUSTABLE
ABDOMINAL BENCH**

PRODUCT DIMENSION (L×W×H)	1624×570×1115 (mm) 63.9×22.4×43.9 (in)
PRODUCT WEIGHT	24 kg / 53 lbs
40"	450 Sets



**IFAC
ABDOMINAL CRUNCH**

PRODUCT DIMENSION (L×W×H)	1103×476×578 (mm) 43.4×18.7×22.8 (in)
PRODUCT WEIGHT	17 kg / 37 lbs
40"	697 Sets



**IFOB
OLYMPIC BENCH PRESS**

PRODUCT DIMENSION (L×W×H)	1439×1264×1096 (mm) 56.7×49.8×42.8 (in)
PRODUCT WEIGHT	62.5 kg / 138 lbs
40"	252 Sets



**IFARMA
ARM CURL ATTACHMENT**

PRODUCT DIMENSION (L×W×H)	584×434×761 (mm) 23×17.1×30 (in)
PRODUCT WEIGHT	6.6 kg / 15 lbs
40"	840 Sets



**IFLEGA
LEG EXTENSION/CURL ATTACHMENT**

PRODUCT DIMENSION (L×W×H)	539×426×470 (mm) 21.2×16.8×18.5 (in)
PRODUCT WEIGHT	7.3 kg / 16 lbs
40"	1728 Sets



IFSTF
STRETCH

PRODUCT DIMENSION (L×W×H)	1865×1730×2150 (mm) 73.4×68.1×84.6 (in)
PRODUCT WEIGHT	90 kg / 198 lbs
40"	112 Sets



IFPT
POWER TOWER

PRODUCT DIMENSION (L×W×H)	1242×1316×2113 (mm) 48.9×51.8×83.2 (in)
PRODUCT WEIGHT	76.5 kg / 169 lbs
40"	245 Sets



IFSS
SQUAT STAND

PRODUCT DIMENSION (L×W×H)	1226×1575×1735 (mm) 48.3×62×68.3 (in)
PRODUCT WEIGHT	56.5 kg / 125 lbs
40"	320 Sets



IFOFB
FLAT BENCH PRESS

PRODUCT DIMENSION (L×W×H)	1525×1310×1265 (mm) 60×51.6×49.8 (in)
PRODUCT WEIGHT	60.5 kg / 133 lbs
40"	154 Sets



IFOIB
INCLINE BENCH PRESS

PRODUCT DIMENSION (L×W×H)	1560×1310×1395 (mm) 61.4×51.6×54.9 (in)
PRODUCT WEIGHT	68.5 kg / 151 lbs
40"	147 Sets



IFLPHS
LEG PRESS/HACK SQUAT MACHINE

PRODUCT DIMENSION (L×W×H)	2245×818×1298 (mm) 88.4×32.2×51.1 (in)
PRODUCT WEIGHT	162.5 kg / 358 lbs
40"	108 Sets
MAX. WEIGHT CAPACITY	200 kg / 440 lbs



IFFID
MULTI-PURPOSE BENCH

PRODUCT DIMENSION (L×W×H)	1582×655×501 (mm) 62.3×25.8×19.7 (in)
PRODUCT WEIGHT	33 kg / 73 lbs
40"	417 Sets



IFODB
DECLINE BENCH PRESS

PRODUCT DIMENSION (L×W×H)	1900×1310×1156 (mm) 74.8×51.6×45.5 (in)
PRODUCT WEIGHT	70 kg / 154 lbs
40"	154 Sets





IFLEGM
LEG EXTENSION/CURL MACHINE

PRODUCT DIMENSION (L×W×H)	1055×1044×1053 (mm) 41.5×41.1×41.5 (in)
PRODUCT WEIGHT	51 kg / 112 lbs
40"	192 Sets



IFCR
CALF RAISE

PRODUCT DIMENSION (L×W×H)	1207×559×1016 (mm) 43.3×22.0×40.0 (in)
PRODUCT WEIGHT	47.5 kg / 78 lbs
40"	520 Sets
MAX. WEIGHT CAPACITY	100 kg / 220 lbs



IFBR
BARBELL RACK

PRODUCT DIMENSION (L×W×H)	792×844×1380 (mm) 31.2×33.2×54.3 (in)
PRODUCT WEIGHT	43.7 kg / 96 lbs
40"	195 Sets



IFPTO
PLATE TREE-OLYMPIC

PRODUCT DIMENSION (L×W×H)	843×632×1108 (mm) 33.2×24.9×43.6 (in)
PRODUCT WEIGHT	19.5 kg / 43 lbs
40"	890 Sets



IFDB3
DUMBBELL RACK-3'

PRODUCT DIMENSION (L×W×H)	1079×473×677 (mm) 42.5×18.6×26.7 (in)
PRODUCT WEIGHT	29 kg / 64 lbs
40"	600 Sets



IFDB4
DUMBBELL RACK-4'

PRODUCT DIMENSION (L×W×H)	1372×475×869 (mm) 54×18.7×34.2 (in)
PRODUCT WEIGHT	35.3 kg / 78 lbs
40"	430 Sets



IFDB4A
DUMBBELL RACK-4' ATTACHMENT

PRODUCT DIMENSION (L×W×H)	1242×244×74 (mm) 48.9×9.6×2.9 (in)
PRODUCT WEIGHT	12 kg / 26 lbs
40"	1400 Sets

IF2060
2060 HOME GYM

PRODUCT DIMENSION (L×W×H)	3143×1705×2100 (mm) 123.7×67.1×82.7 (in)
PRODUCT WEIGHT	442.8 kg / 976 lbs
40"	40 Sets
WEIGHT STACK	2×91 kg / 200 lbs

**IFLP3**
HOME GYM ATTACHMENT

PRODUCT DIMENSION (L×W×H)	1673×1040×971 (mm) 65.9×40.9×38.2 (in)
PRODUCT WEIGHT	65 kg / 143 lbs
40"	220 Sets



IF1860+IFLP3



IF2060+IFLP3

**IF1560**
1560 HOME GYM

PRODUCT DIMENSION (L×W×H)	1905×1240×2121 (mm) 75×48.8×83.5 (in)
PRODUCT WEIGHT	223 kg / 492 lbs
40"	68 Sets
WEIGHT STACK	91 kg / 200 lbs

IF1860
1860 HOME GYM

PRODUCT DIMENSION (L×W×H)	1897×1075×2118 (mm) 74.7×42.3×83.4 (in)
PRODUCT WEIGHT	253.7 kg / 559 lbs
40"	60 Sets
WEIGHT STACK	91 kg / 200 lbs






IFFT
FUNCTIONAL TRAINER

PRODUCT DIMENSION (L×W×H)	1662×1102×2122 (mm) 65.4×43.4×83.5 (in)
PRODUCT WEIGHT	336 kg / 741 lbs
40"	56 Sets
WEIGHT STACK	2×91 kg / 200 lbs



IFFTOPT
MULTI-SELECT STABILIZER

PRODUCT DIMENSION (L×W×H)	1075×260×1120 (mm) 42.3×10.2×44 (in)
PRODUCT WEIGHT	17.3 kg / 38 lbs IFFT+IFFTOPT



IFCC
CABLE CROSSOVER

PRODUCT DIMENSION (L×W×H)	3600×1020×2120 (mm) 141.7×40.2×83.5 (in)
PRODUCT WEIGHT	291 kg / 642 lbs
40"	68 Sets
WEIGHT STACK	2×68 kg / 150 lbs



HG5
CABLE MOTION GYM

PRODUCT DIMENSION (L×W×H)	1451×1339×2132 (mm) 57.1×52.7×83.9 (in)
PRODUCT WEIGHT	195.9 kg / 431.9 lbs
40"	82 Sets
WEIGHT STACK	73 kg / 160 lbs



IFFI5 BENCH

PRODUCT DIMENSION (L×W×H)	1380×490×441 (mm) 54.3×19.3×17.3 (in)
PRODUCT WEIGHT	25.7 kg / 56.7 lbs
MAX WEIGHT CAPACITY	200 kg / 441 lbs

RE-LIFE

Hydraulic Strength Training Equipment



RL Line >>>

In the face of such a busy pace of life, Impulse timely put forward the concept of 'light fitness', and explored how to exercise to 'win more with less effort', integrate exercise into your daily life and make it a wonderful enjoyment. Unlike conventional strength equipment, 'light fitness tends to listen to the voice of the heart.

Impulse RE-LIFE light fitness series is tailored for the urban white-collars and young women who love sports, as well as small studios and community gyms. Impulse named the series after RE-LIFE implying that customers can regain the vitality of the body and rebuild the quality of life by using this series of products.

The RE-LIFE series complements any traditional fitness scenario, suitable for users from almost all ages and fitness levels.

8+X Flexible combinations, more possibilities

RE-LIFE series consists of 8 sets of hydraulic resistance training equipment which can be used for bidirectional constant speed operation and 1 set of stretching machine. 8 sets of hydraulic resistance training equipment can realize the function of 15 kinds of traditional strength equipment, and the stretching machine is helpful before and after exercise. Alternatively, depending on the user's needs, the stretching machine can be replaced with a BOSU ball for balance training, cardio pedals, or a HIIT SKI&ROW or ULTRA BIKE. Users of different ages and physical qualities can find their own training methods through the flexible combination of 8+X.

• SKI&ROW and ULTRA BIKE are products of Impulse.



Ultimate User Experience Design Driven Products Environment Friendly



The dual-position handle design ensures that the user always finds the perfect posture.



The selection of upholstery is soft, comfortable and elastic, making it more skin-friendly during training and reducing wear. The multifunctional holder allows you to take water cup or mobile phone at your fingertips.



Adjustable hydraulic resistance makes adjustment more refined with eye-catching knob design.



Concise modeling design can save half of the storage and transportation space compared with conventional equipment, the built-in transport wheel design makes it easier to move.



The resistance adapts itself and can stop the movement at any time to reduce the injury risk. In addition, the integrated stable adjusting device can easily adjust the horizontal stability of the product.



Optional painting and upholstery color.
(Terms and conditions applied)



RL8101
CHEST PRESS/ROW

PRODUCT DIMENSION (L×W×H)	818×737×1266 (mm) 32.2×29.0×49.6 (in)
PRODUCT WEIGHT	40.4kg/89.1lbs



RL8102
OVERHEAD PRESS/PULLDOWN

PRODUCT DIMENSION (L×W×H)	1120×1000×1296 (mm) 44.1×39.4×50.0 (in)
PRODUCT WEIGHT	45.5kg/100.3lbs



RL8103 BICEPS CURL
TRICEPS EXTENSION

PRODUCT DIMENSION (L×W×H)	1178×736×889 (mm) 46.4×29.0×35.0 (in)
PRODUCT WEIGHT	32.2kg/71lbs



RL8104
PEC FLY/REAR DELTOID

PRODUCT DIMENSION (L×W×H)	1139×895×1286 (mm) 44.8×35.2×50.6 (in)
PRODUCT WEIGHT	48.6kg/107.1lbs



RL8105
LEG EXTENSION/LEG CURL

PRODUCT DIMENSION (L×W×H)	1174×830×1260 (mm) 46.2×32.7×49.6 (in)
PRODUCT WEIGHT	51.8kg/114.2lbs



RL8107
Ab CRUNCH/BACK EXTENSION

PRODUCT DIMENSION (L×W×H)	1097×842×1165 (mm) 43.2×33.1×45.9 (in)
PRODUCT WEIGHT	44.2kg/97.4lbs



RL8108
HIP ABDUCTION/ADDUCTION

PRODUCT DIMENSION (L×W×H)	1122×737×1260 (mm) 44.2×29.0×49.6 (in)
PRODUCT WEIGHT	51.6kg/113.8lbs



RL8110
LEG PRESS

PRODUCT DIMENSION (L×W×H)	1737×737×1260 (mm) 68.4×29.0×49.6 (in)
PRODUCT WEIGHT	71kg/156.5lbs




RL8106
STRETCH




PRODUCT DIMENSION (L×W×H)	1377×755×1237 (mm) 54.2×29.7×48.7 (in)
PRODUCT WEIGHT	37kg/81.6lbs

Mega Space Line >> >

Mega Space products are a specialist, more functional and customized rack strength product solution for strength and conditioning venues. The products can meet the needs of competitive training centers, large commercial clubs and professional studios for professional olympic strength training equipment.



Comparison With Other Impulse Racks





MS00 STAND-SINGLE STORAGE

There are 8 groups of weight plate storage units on the left and right sides, which fully meet the weight plate storage requirements.

Use with MS01, MS02 rack.

Can be connected with MS11, MS12 and other functional modules.

PRODUCT DIMENSION (L×W×H)	1790×609×2614 (mm) 70.5×24.0×103.0 (in)
PRODUCT WEIGHT	83.4kg/183.9lbs

Module expansion

Connectable to MS23 Bumper Plate Storage Connector Between Rack

Connectable to MS24 Kettlebell Storage Connector Between Rack

Connectable to MS25 Ball Storage Connector Between Rack

Connectable to MS26 Dumbbell Storage Connector Between Rack

Connectable to MS15 Endless Rope Trainer

Connectable to MS11 LAT Pulldown/Vertical Row

Connectable to MS12 Functional Cable Pulley



MS01 HALF RACK

Two protection racks and J-hook, equipped with 30 height position adjustable (465mm-2145mm from the ground), to meet the needs of different body type trainers, to ensure sports safety.

Half size front open squat frame can meet the needs of regular strength training.

Save space, on the basis of providing the same use function and custom effect as other training racks, greatly save space.

PRODUCT DIMENSION (L×W×H)	1377×1261×2614 (mm) 54.2×49.6×103.0 (in)
PRODUCT WEIGHT	98.3kg/216.7lbs




MS02 POWER RACK

It is standard equipped with two protection frames and J-type hook, and 16 height positions can be adjusted (535mm-2057mm from the ground), which can meet the needs of trainers of different body types and ensure sports safety.

Full size squat frame to meet regular strength training needs.

Can be matched with a variety of accessories to meet the diverse training needs of users.

PRODUCT DIMENSION (L×W×H)	1377×2306×2614 (mm) 54.2×90.8×103.0 (in)
PRODUCT WEIGHT	173kg/381.4lbs





MS11
LAT PULLDOWN / VERTICAL ROW

Space saving, on the basis of providing the same use function and custom effect of conventional two single-station strength instruments, greatly saving the space.

295LBS weight stacks to meet any user and use environment.

Adjustable foam, foot pedal and elongated seat cushion simultaneously meet the dual functions of vertical row and high pull down.

PRODUCT DIMENSION	1226×2160×2596 (mm)
(L×W×H)	48.3×85.0×102.2 (in)
PRODUCT WEIGHT	101.7kg/224.2lbs





MS12 FUNCTIONAL CABLE PULLEY

Through collocation can be combined into cable crossover.


295LBS weight stacks to meet any user and use environment.

Standard with double end rope, short grip, pull handle, ankle cuff, to meet the needs of different training movements.

Various functions, covering chest, shoulder, back, legs, buttocks and most of the muscle group training movements, and can greatly save space.

Multi-stage high and low adjustable slide to meet the needs of different training movements.

PRODUCT DIMENSION (L×W×H)	496×1313×2599 (mm) 19.5×51.7×102.3 (in)
PRODUCT WEIGHT	51.7kg/114.0lbs





MS13
JAMMER ARM
(1 pair)

- No disassembly need, can be adjusted up and down to any height, fixed through the bolt.
- Multi-angle handle to meet the needs of different training movements, while the handle is removable and portable.
- The longer arm allows for a more reasonable trajectory.

PRODUCT DIMENSION (L × W × H)	1395 × 875 × 369 (mm) 54.9 × 34.4 × 14.5 (in)
PRODUCT WEIGHT	51kg/112.4lbs

Various functions, covering chest, shoulder, back, legs, buttocks and most of the muscle group training movements, and can greatly save space.

It can be combined with belt squat attachment, Foam roller and other modules to meet the needs of various training movements.

※ This attachment does not include weight plate.

- Module expansion
- Connectable to MS14 Belt Squat
 - Connectable to MS43 Adjustable Utility Pin
 - Connectable to MS45 Form Roller Pad



MS14
BELT SQUAT




The hanging Angle of the barbell is upturned and lengthened to prevent the vibration of the barbell from falling and meet the requirements of heavy weight training.

Portable latch fixed starting handle, easy to start up support, reliable and easy to operate.


The hook belt is convenient for users to get on and off the machine.

Latch fixed, easy to disassemble.

PRODUCT DIMENSION (L×W×H)	1112×550×677 (mm) 43.8×21.7×26.7 (in)
PRODUCT WEIGHT	21.8kg/48.1lbs



MS15
ENDLESS ROPE TRAINER



Magnetic control resistance adjustment structure is simple, reliable and durable.

The resistance adjusting handle is lengthened to meet users of different heights.

Equipped with guide wheels to limit the rope so that it can be pulled vertically, horizontally or from the bottom up for training.

Polyester rope has a high coefficient of friction, more wear resistant, and better surface feel. Good moisture discharge, not easy to deform.

PRODUCT DIMENSION (L×W×H)	527×266×537 (mm) 20.7×10.5×21.1 (in)
PRODUCT WEIGHT	32.9kg/72.5lbs

The resistance of four levels can be adjusted to meet the training needs of different groups.





MS28
MULTI STATION
CONNECTED BRIDGE



PRODUCT DIMENSION (L×W×H)	145×3000×76.2(mm) 5.7×118.1×3 (in)
PRODUCT WEIGHT	



MS29
CENTRAL
CONNECTED STAND

PRODUCT DIMENSION (L×W×H)	2614×160×160 (mm) 102.9×6.3×6.3 (in)
PRODUCT WEIGHT	

MS28 and/or MS29 can be used as connection part of 4/6/8 stations.
The chin up handle can also be attached to MS28.





MS21
RACK CONNECTED BRIDGE

PRODUCT DIMENSION (L × W × H)	240 × 2056 × 192 (mm) 9.4 × 80.9 × 7.6 (in)
PRODUCT WEIGHT	17.3kg/38.1lbs





MS22
RACK CONNECTED BRIDGE

PRODUCT DIMENSION (L × W × H)	240 × 2756 × 192 (mm) 9.4 × 108.5 × 7.6 (in)
PRODUCT WEIGHT	21.4kg/47.2lbs

Two length specifications, suitable for different areas of venues, with half rack, full rack or squat rack use, can play a transverse connection between the squat rack, and can be connected to the endless rope trainer, pull-up handle, TRX fixed points, etc., to meet the needs of trainers for different training movements.

It can be used as a high bridge to connect the top of the power rack, and can be used as a low connector to connect the bottom of the power rack to match the battle rope and other accessories.



MS23
BUMPER PLATE
STORAGE CONNECTOR
BETWEEN RACK

PRODUCT DIMENSION (L×W×H)	385×2120×286 (mm) 15.2×83.5×11.3 (in)
PRODUCT WEIGHT	20.1kg/44.3lbs



It can meet the storage needs of weight plate of various specifications.

MS24
KETTLEBELL STORAGE
CONNECTOR BETWEEN
RACK

PRODUCT DIMENSION (L×W×H)	441×2120×107 (mm) 17.4×83.5×4.2 (in)
PRODUCT WEIGHT	37.5kg/82.7lbs



It can meet the storage needs of various props such as kettlebells, dumbbells, etc. At the same time, it can be used as a storage platform to store other small tools.

MS25
BALL STORAGE
CONNECTOR BETWEEN
RACK

PRODUCT DIMENSION (L×W×H)	2120×385×108 (mm) 83.5×15.2×4.3 (in)
PRODUCT WEIGHT	15kg/33.1lbs




Can meet all kinds of ball props such as rhythm ball, wall ball, medicine ball and other storage needs.

MS26
DUMBBELL STORAGE
CONNECTOR BETWEEN
RACK

PRODUCT DIMENSION (L×W×H)	2120×385×108 (mm) 83.5×15.2×4.3 (in)
PRODUCT WEIGHT	24kg/52.9lbs



It can meet the storage needs of dumbbells of various specifications.






MS27
SIDE STORAGE

It can meet the storage needs of kettlebells, and various ball props such as rhythm ball, wall ball, medicine ball, barbell pieces, dumbbells and other small fitness tools.

Combined with other modules, it can not only play the role of connection, but also play the role of storage, saving storage space.

PRODUCT DIMENSION (L×W×H)	995×416×763 (mm) 39.2×16.4×30.0 (in)
PRODUCT WEIGHT	30.8kg/67.9lbs



MS704001
STORAGE RACK FRAM

As the connecting attachment of the storage platform, both sides can be connected with the storage rack.

PRODUCT DIMENSION (L×W×H)	1559×865×210 (mm) 61.4×34.1×8.3 (in)
PRODUCT WEIGHT	20.2kg/44.5lbs



MS31/MS32 PLATFORMS



Used with MS00 and MS01 Racks



Used with MS00 and MS02 Racks


It can prevent slip, absorb shock, reduce noise and protect the ground.

The weight lifting platform is fixed with all metal frames to ensure the firm and reliable.

Hardwood Flooring: non-slip varnish surface, bamboo on top layer and composite wood on bottom layer to ensure stable support.

LOGO can be printed according to customer requirements.

PRODUCT DIMENSION (L×W×H)	2446×3421×50 (mm) 96.3×134.7×2.0 (in)	2576×3825×54 (mm) 101.4×150.6×2.1 (in)
PRODUCT WEIGHT	263.5kg/580.9lbs	280kg/617.3lbs



MS41 ADJUSTABLE UTILITY PLATFORM



PRODUCT DIMENSION (L×W×H)	1340×400×77 (mm) 52.8×15.7×3.0 (in)
PRODUCT WEIGHT	20kg/44.1lbs

It can be used with the safety bar, and has the function of box jumping.

Anti-slip paint can effectively prevent skid.

MS44 Barbell/Utility Platform Storage Attachment



2 barbell bar storage positions.

Utility Platform storage Position.

PRODUCT DIMENSION (L×W×H)	280×240×180 (mm) 11.0×9.4×4.3 (in)
PRODUCT WEIGHT	6kg/13.2lbs



MS43
ADJUSTABLE UTILITY PIN
(2 pieces)




Can be connected with the MS01/MS02 POWER RACK, adding elastic band training function.

It can be placed in any position on the Power Rack to hang elastic bands for advanced training to meet the needs of different training movements.

It can be used for hanging barbell plate, and can be used as barbell plate storage rod. At the same time, it can be used with MS13 Jammer Arm and MS45 Foam Roller Pad for hip training.

PRODUCT DIMENSION (L×W×H)	590(mm) 23.2 (in)
PRODUCT WEIGHT	6.8kg/15lbs




MS45
FOAM ROLLER PAD
(2 pieces)



Extended leg pad, no need to move sideways to find a position when doing single leg movements, to meet the needs of users of different heights.

It can be placed inside the MS13 Jammer Arm for hip bridge.

PRODUCT DIMENSION (L×W×H)	559(mm) 22.0 (in)
PRODUCT WEIGHT	7.3kg/16.1lbs





MS50
Logo

PRODUCT DIMENSION (L×W×H)	325×101×50 (mm) 12.8×4.0×2.0 (in)
------------------------------	--------------------------------------



MS7041
BARBELL LIFTER

Can lift the barbell off the ground, easy to disassemble and install the barbell plate.

PRODUCT DIMENSION (L×W×H)	781×618×905 (mm) 30.7×24.3×35.6 (in)
PRODUCT WEIGHT	11.2kg/24.7lbs



MS7042
FARMER' S WALK BAR

Equipment specially designed for farmer walking training.

PRODUCT DIMENSION (L×W×H)	1440×169×76 (mm) 56.7×6.7×3.0 (in)
PRODUCT WEIGHT	15.2kg/33.5lbs





MS7043
T-BAR ROW HANDLE

Equipped with multi-position handles, to meet the needs of different movements training.

Easy to store, insert the lower sleeve into the barbell storage bar to store.

PRODUCT DIMENSION (L×W×H)	908×257×205 (mm) 35.7×10.1×8.1 (in)
PRODUCT WEIGHT	4.4kg/9.7lbs



MS7048
POWER SLED

Can carry out push or drag training.

Vertical handle removable, convenient for users to directly reverse push without turning the direction.

The two sets of lateral handlebars are of different heights for a variety of training needs.

There are hook holes on both sides, which can be used with drag belt.


PRODUCT DIMENSION (L×W×H)	1040×702×922 (mm) 40.9×27.6×36.3 (in)
PRODUCT WEIGHT	27.9kg/61.5lbs



IZCFA16
HEAVY BAG HANGER

All kinds of sandbags can be hung up to 200kg.

PRODUCT DIMENSION (L×W×H)	963×76.2×600 (mm) 37.9×3.0×23.6 (in)
PRODUCT WEIGHT	12.8kg/28.2lbs




IZCFA12
WALL BALL TARGET

As a wall ball, medicine ball and other ball training target point.

Used as LOGO display.

PRODUCT DIMENSION (L×W×H)	550×245.7×608 (mm) 21.7×9.7×23.9 (in)
PRODUCT WEIGHT	17.6kg/38.8lbs





HSPCF28 MULTI ANGLE PULL UP HANDLE



A variety of width of grips, and multi-angle to meet the needs of different height users.

PRODUCT DIMENSION (L×W×H)	1143×324×109 (mm) 45×12.8×4.3 (in)
PRODUCT WEIGHT	12.8kg/28.2lbs



HSPCF29 Triphasic Training Arm (1 pair)

Can be combined with elastic belt for centripetal, centrifugal, isometric training.

PRODUCT DIMENSION (L×W×H)	1081×721×105 (mm) 42.6×28.4×4.1 (in)
PRODUCT WEIGHT	32kg/70.5lbs



HSPCF42 TRICEP DIP ATTACHMENT



Parallel bars extend outward, a variety of spacing to meet the needs of users of different heights.

Easy to adjust and store. When not in use, the latch can be pulled out and vertically fixed and stored on the main frame.

PRODUCT DIMENSION (L×W×H)	649×728×167 (mm) 25.6×28.7×6.6 (in)
PRODUCT WEIGHT	10.1kg/22.3lbs





HSPCF47
RESISTANT BAND ANCHOR
(4 pieces)

Serve as elastic belt hangpoints to meet advanced strength training.

Can adjust the distance and position at will.
※ This attachment does not include resistant band.

PRODUCT DIMENSION (L×W×H)	305(mm) 12.0 (in)
PRODUCT WEIGHT	6.2kg/13.7lbs



HSPCF49
SAFETY STRAPS
(2 pieces)

Provides safety while reducing barbell bar wear and no noise from hard contact.

Easy to adjust, can be adjusted by one hand.

PRODUCT DIMENSION (L×W×H)	1150×50×10 (mm) 45.3×2.0×0.4 (in)
PRODUCT WEIGHT	10.1kg/22.3lbs



HSPCF51
BATTLE ROPE ANCHOR

It can be attached to any position with holes and suitable height.

Used as a fixed point of battle rope in training.
※ This attachment does not include battle rope.

PRODUCT DIMENSION (L×W×H)	70×152×180 (mm) 2.8×6.0×7.1 (in)
PRODUCT WEIGHT	2.1kg/4.6lbs





PRODUCT DIMENSION (L×W×H)	126×530×340 (mm) 5.0×20.9×0.4 (in)
PRODUCT WEIGHT	8kg/17.6lbs

HSPCF52 LANDMINE RACK ATTACHMENT

It can be attached to any position with holes and suitable height.

Can complete a variety of physical training with barbell.

It is equipped with transverse and longitudinal bearings, so that it can rotate 180° transverse and longitudinal.



HSPCF54 J HOOK ATTACHMENT (2 pieces)

PRODUCT DIMENSION (L×W×H)	296×224×224 (mm) 11.7×8.8×8.8 (in)
PRODUCT WEIGHT	6.8kg/15.0lbs

Use with MS01/MS02 Racks to support the barbell bar.

The contact surface is made of nylon material, durable; avoid bumping and scratching the surface of the other equipment.




HSPCF59 BALL GRIP ATTACHMENT (7 pieces)

It can be attached to any position with holes and suitable height.

Gripping strength training attachment.

PRODUCT DIMENSION (L×W×H)	321/207/443×209×76(mm) 12.6/8.1/17.4×8.2×3.0 (in)
PRODUCT WEIGHT	7.8kg/17.2lbs



Examples of Combination



- 1**
- 2 × MS12 FUNCTIONAL CABLE PULLEY
 - 1 × MS21 RACK CONNECTED BRIDGE
 - 2 × MS29 CENTRAL CONNECTED STAND
 - 1 × MS23 BUMPER PLATE STORAGE CONNECTOR BETWEEN RACK
 - 1 × MS24 KETTLEBELL STORAGE CONNECTOR BETWEEN RACK
 - 1 × MS25 BALL STORAGE CONNECTOR BETWEEN RACK
 - 1 × MS26 DUMBBELL STORAGE CONNECTOR BETWEEN RACK

PRODUCT DIMENSION (L × W × H)	2389 × 1665 × 2599 (mm) 94.1 × 65.6 × 102.3 (in)
----------------------------------	-----------------------------------------------------

2

- 2 × MS00 STAND-SINGLE STORAGE
- 2 × MS01 HALF RACK
- 2 × MS11 LAT PULldown/VERTICAL ROW
- 2 × MS12 FUNCTIONAL CABLE PULLEY
- 1 × MS21/22 RACK CONNECTED BRIDGE

PRODUCT DIMENSION (L × W × H)	4970 × 3492 × 2614 (mm) 195.7 × 137.5 × 102.9 (in)
----------------------------------	-------------------------------------------------------

**3**

- 2 × MS00 STAND-SINGLE STORAGE
- 2 × MS02 POWER RACK
- 2 × MS11 LAT PULldown/VERTICAL ROW
- 2 × MS12 FUNCTIONAL CABLE PULLEY
- 1 × MS21/22 RACK CONNECTED BRIDGE

PRODUCT DIMENSION (L × W × H)	4970 × 4537 × 2614 (mm) 195.7 × 178.6 × 102.9 (in)
----------------------------------	-------------------------------------------------------



- 4**
- 1 × MS00 STAND-SINGLE STORAGE
 - 1 × MS01 HALF RACK

PRODUCT DIMENSION (L × W × H)	1790 × 1828 × 2614 (mm) 70.5 × 72.0 × 102.9 (in)
----------------------------------	-----------------------------------------------------



- 5**
- 1 × MS00 STAND-SINGLE STORAGE
 - 1 × MS02 POWER RACK

PRODUCT DIMENSION (L × W × H)	1790 × 2421 × 2614 (mm) 70.5 × 95.3 × 102.9 (in)
----------------------------------	-----------------------------------------------------

**6**

- 2 × MS00 STAND-SINGLE STORAGE
- 2 × MS01 HALF RACK
- 1 × MS21/22 RACK CONNECTED BRIDGE

PRODUCT DIMENSION (L × W × H)	4970 × 1828 × 2614 (mm) 195.7 × 72.0 × 102.9 (in)
----------------------------------	------------------------------------------------------

7

- 2 × MS00 STAND-SINGLE STORAGE
- 2 × MS01 HALF RACK
- MS23 BUMPER PLATE STORAGE CONNECTOR BETWEEN RACK
- MS24 KETTLEBELL STORAGE CONNECTOR BETWEEN RACK
- MS25 BALL STORAGE CONNECTOR BETWEEN RACK
- MS26 DUMBBELL STORAGE CONNECTOR BETWEEN RACK

PRODUCT DIMENSION (L × W × H)	4970 × 1828 × 2614 (mm) 195.7 × 72.0 × 102.9 (in)
----------------------------------	------------------------------------------------------





8
2× MS00 STAND-SINGLE STORAGE
2× MS02 POWER RACK
1× MS21/22 RACK CONNECTED BRIDGE

PRODUCT DIMENSION (L×W×H)	4970×2871×2614 (mm) 195.7×113.0×102.9 (in)
------------------------------	-----------------------------------------------

9
2× MS00 STAND-SINGLE STORAGE
2× MS02 POWER RACK
MS23 BUMPER PLATE STORAGE CONNECTOR BETWEEN RACK
MS24 KETTLEBELL STORAGE CONNECTOR BETWEEN RACK
MS25 BALL STORAGE CONNECTOR BETWEEN RACK
MS26 DUMBBELL STORAGE CONNECTOR BETWEEN RACK

PRODUCT DIMENSION (L×W×H)	4970×2871×2614 (mm) 195.7×113.0×102.9 (in)
------------------------------	-----------------------------------------------



10
1× MS00 STAND-SINGLE STORAGE
2× MS01 HALF RACK

PRODUCT DIMENSION (L×W×H)	1790×2598×2614 (mm) 70.5×102.3×102.9 (in)
------------------------------	----------------------------------------------

11
1× MS00 STAND-SINGLE STORAGE
2× MS02 POWER RACK

PRODUCT DIMENSION (L×W×H)	1790×4684×2614 (mm) 70.5×184.4×102.9 (in)
------------------------------	----------------------------------------------



12
2× MS00 STAND-SINGLE STORAGE
4× MS01 HALF RACK
1× MS21/22 RACK CONNECTED BRIDGE

PRODUCT DIMENSION (L×W×H)	5670×2598×2614 (mm) 223.2×102.3×102.9 (in)
------------------------------	-----------------------------------------------

13
2× MS00 STAND-SINGLE STORAGE
4× MS02 POWER RACK
1× MS21/22 RACK CONNECTED BRIDGE

PRODUCT DIMENSION (L×W×H)	5670×2598×2614 (mm) 223.2×102.3×102.9 (in)
------------------------------	-----------------------------------------------





- 14**
- 2× MS00 STAND-SINGLE STORAGE
 - 4× MS01 HALF RACK
 - MS23 BUMPER PLATE STORAGE CONNECTOR BETWEEN RACK
 - MS24 KETTLEBELL STORAGE CONNECTOR BETWEEN RACK
 - MS25 BALL STORAGE CONNECTOR BETWEEN RACK
 - MS26 DUMBBELL STORAGE CONNECTOR BETWEEN RACK

PRODUCT DIMENSION (L×W×H)	4970×4684×2614 (mm) 195.7×184.4×102.9 (in)
------------------------------	-----------------------------------------------

- 15**
- 2× MS00 STAND-SINGLE STORAGE
 - 4× MS02 POWER RACK
 - MS23 BUMPER PLATE STORAGE CONNECTOR BETWEEN RACK
 - MS24 KETTLEBELL STORAGE CONNECTOR BETWEEN RACK
 - MS25 BALL STORAGE CONNECTOR BETWEEN RACK
 - MS26 DUMBBELL STORAGE CONNECTOR BETWEEN RACK

PRODUCT DIMENSION (L×W×H)	4970×4684×2614 (mm) 195.7×184.4×102.9 (in)
------------------------------	-----------------------------------------------




- 16**
- 2× MS00 STAND-SINGLE STORAGE
 - 4× MS02 POWER RACK
 - 2× MS11 LAT PULLDOWN/VERTICAL ROW
 - 1× MS22 RACK CONNECTED BRIDGE

PRODUCT DIMENSION (L×W×H)	4970×4684×2614 (mm) 195.7×184.4×102.9 (in)
------------------------------	-----------------------------------------------

17

- 2× MS11 LAT PULLDOWN/VERTICAL ROW
- 2× MS12 FUNCTIONAL CABLE PULLEY
- 1× MS29 CENTRAL CONNECTED STAND

PRODUCT DIMENSION (L×W×H)	3264×3264×2614 (mm) 128.5×128.5×102.9 (in)
------------------------------	-----------------------------------------------

**18**


- 2× MS11 LAT PULLDOWN/VERTICAL ROW
- 4× MS12 FUNCTIONAL CABLE PULLEY
- 1× MS28 MULTI STATION CONNECTED BRIDGE
- 2× MS29 CENTRAL CONNECTED STAND
- 2× HSPCF28 MULTI ANGLE PULL UP HANDLE

PRODUCT DIMENSION (L×W×H)	4960×3264×2614 (mm) 195.3×128.5×102.9 (in)
------------------------------	-----------------------------------------------

19

- 4× MS11 LAT PULLDOWN/VERTICAL ROW
- 4× MS12 FUNCTIONAL CABLE PULLEY
- 1× MS28 MULTI STATION CONNECTED BRIDGE
- 2× MS29 CENTRAL CONNECTED STAND
- 2× HSPCF28 MULTI ANGLE PULL UP HANDLE

PRODUCT DIMENSION (L×W×H)	6570×4398×2614 (mm) 258.7×173.1×102.9 (in)
------------------------------	-----------------------------------------------



※ Everything is subject to the real object, Impulse has the final right of interpretation.

FF Line >> >

Discover the perfect fusion of functionality and storage! We proudly present our latest product, a revolutionary combination of functional training and storage rack functionality. Welcome to experience this innovative product that will bring endless possibilities to your fitness space!

FF stands out with its unique design and multifunctionality. It not only offers an efficient area for functional training but also cleverly incorporates storage rack capabilities. By connecting extension module, you can extend it endlessly to the right, creating a spacious storage rack and an infinite functional training area.

Thoughtful design: The product is made with high-quality materials and exquisite craftsmanship. The vertical columns and crossbeams are constructed using 3mm thick tubes to ensure sturdiness and durability, meeting the high-intensity demands of commercial environments.

Multi-functionality: The versatile FF series offers not only a variety of configurations for different types of functional training to help you achieve diverse fitness goals, but also seamlessly integrates storage functionality into the product. With multiple storage compartments, it ensures your workout area remains neat and organized, maximizing space utilization at all times.

The storage shelf can be installed at a 27-degree angle, adding both aesthetic appeal and convenient access to various accessories.

The **Center-based design** concept involves anchoring in the middle of the space, requiring only a connection to the floor. This maximizes the position for suspended multi-functional training and accommodates more individuals for training.

Flexible extension: With the ability to connect the Extension Module, you can effortlessly extend the product to the right, creating storage racks and functional training areas of various sizes based on your space requirements.

Comes with multiple hooks designed for the use and storage of resistance bands and other training straps, allowing you to adjust their positions according to your preferences for added convenience.

The spacing between the main upright holes is 100mm. You can adjust the positions and heights of storage shelves, hooks, and other accessories according to your specific usage scenarios.

The **Wall-based design** concept aims to maximize space utilization by requiring connections to both the wall and the floor. This provides additional storage space while also offering the potential for more multi-functional training opportunities.

*All accessories shown in the image, such as dumbbells, kettlebells, medicine balls, barbells, sandbags, resistance bands, etc., are for demonstration purposes only. The actual product does not come with such accessories.



	FF00 MAIN RACK (WALL-BASED)		Package/Product Dimension
	FF1011 EXPANSION MODULE (WALL-BASED)		1 × FF00 FF1011 FF23 FF24 FF25 1726 × 1321 × 2334 (mm) 68.0 × 52.0 × 91.9 (in)
	FF01 MAIN RACK (CENTER-BASED)		1 × FF00 FF1011 FF23 FF24 FF25 3269 × 1321 × 2334 (mm) 128.7 × 52.0 × 91.9 (in)
	FF1012 EXPANSION MODULE (CENTER-BASED)		1 × FF00 FF1011 FF23 FF24 FF25 4812 × 1321 × 2334 (mm) 189.4 × 52.0 × 91.9 (in)
	FF02 BACK RACK		1 × FF01 FF23 2 × FF1012 FF24 FF25 3269 × 1988 × 2334 (mm) 128.7 × 78.7 × 91.9 (in)
	FF1013 BACK RACK EXTENSION		1 × FF01 3 × FF1012 4812 × 1988 × 2334 (mm) 189.4 × 78.7 × 91.9 (in)
	FF02+FF1013+FF00 +FF1011+3*FF24 +FF25+FF44+FF46 +FF52+FF53		

	FF00 MAIN RACK (WALL-BASED)		FF01 MAIN RACK (CENTER-BASED)		FF02 BACK RACK		FF1011 EXPANSION MODULE (WALL-BASED)		FF1012 EXPANSION MODULE (CENTER-BASED)
L.W.H 367×1321×2334 (mm) 14.4×52.0×91.9 (in) N.W 51.6kg/113.7lbs	L.W.H 367×1988×2334 (mm) 14.4×78.7×91.9 (in) N.W 67kg/147.7lbs	L.W.H 285×300×2380 (mm) 11.2×11.8×93.7 (in) N.W 43.9kg/95.9lbs	L.W.H 1641×1321×2334 (mm) 64.6×52.0×91.9 (in) N.W 73.3kg/161.6lbs	L.W.H 1641×1321×2334 (mm) 64.6×52.0×91.9 (in) N.W 93kg/206lbs					
	FF1013 BACK RACK EXTENSION		FF-SP STORAGE POST		FF23 TRAINING PLATE STORAGE		FF24 DUMBBELL KETTLEBELL STORAGE		FF25 BALL STORAGE
L.W.H 345×270×2380 (mm) 13.6×10.6×93.7 (in) N.W 62.5kg/137.8lbs	L.W.H 2338×675×1016 (mm) 92.0×26.6×91.9 (in) N.W 190kg/418.9lbs	L.W.H 1555×370×251 (mm) 61.2×14.6×9.9 (in) N.W 12.1kg/26.7lbs	L.W.H 1555×465×74 (mm) 61.2×18.3×2.9 (in) N.W 20.6kg/45.4lbs	L.W.H 1555×230×70 (mm) 61.2×9.1×2.8 (in) N.W 7.1kg/15.7lbs					
	FF44 BARBELL STORAGE		FF46 WALL BALL TARGET		FF52 LANDMINE RACK ATTACHMENT		FF53 VERTICAL DUMBBELL STORAGE		
L.W.H 236×194×200 (mm) 10.4×7.6×7.9 (in) N.W 3.6kg/7.9lbs	L.W.H 450×355×821 (mm) 17.7×14.0×32.3 (in) N.W 16kg/35.3lbs	L.W.H 380×200×100 (mm) 15.0×7.9×3.9 (in) N.W 3.3kg/7.3lbs	L.W.H 1070×260×140 (mm) 42.1×10.2×5.5 (in) N.W 9.8kg/21.6lbs						

HSP Line >>>

HSP-PRO001 AIR RESISTANCE DUAL-ARM FUNCTIONAL TRAINER

The 5 LED windows design can accurately display the resistance level, training times(2 windows), peak power percentage and parameters, which is convenient for theuser to always grasp the training information to scientifically arrange the training plan



Depending on the height and movement of the trainer, the training arm can be adjusted in coronal plane (up and down) of 180° and at 13 gears. Unilateral horizontal level of both arms (front and rear) 90°, 7 gears adjustment, which is suitable for all heights and training types

Model	HSP-PRO001
Power	110V-220V
Resistance Range	2kg-25kg
Resistance Increment	0.1kg
Product Dimension	2500×1100×2400 (mm) 98.4×43.3×94.5 (in)
Net Weight	150kg/330.7lbs
Fixed	Can be fixed to the floor or wall



Equipped with double training arms, the cable joint end can rotate 360° with the change of force direction of the trainer, ensuring the comfort of the strength exertion and variable force direction need during the training process. Meanwhile, it can protect the cable and extend its service life



It can also expand a variety of accessories to cooperate with various special functional trainings, such as dual pull handle, ankle strap, training bat, training belt, thigh strap, tricep training rope, etc



Through easy-to-understand training guidelines, users can quickly master the training methods of major muscle groups

HSP professional physical training equipment is a perfect solution of multiple and customized functional training needs. It is designed to improve strength, endurance, speed, power, agility and dynamic balance. It can meet different requirements of professional athletes, sports teams, physical training center and big commercial gyms.

HSP-PRO002 AIR RESISTANCE FUNCTIONAL TRAINER



Accurate and convenient adjustment: it can adjust resistance at a minimum increment of 0.1kg with two buttons; giving user a better control over the functional training process



Through easy-to-understand training guidelines, users can quickly master the training methods of major muscle groups




Multiple HSP-PRO002 equipment can be designed as a training area to meet the needs of multi-functional training for single trainer or multi-group training



The 50mm-2000mm single pulley track with 36 gears adjustment, and the angle of the pulley can be rotated with the change of the direction of the force, which meets all heights and training types of use, but also to protect the equipment and cable, extend the life of the role

Model	HSP-PRO002
Power	110V-220V
Resistance Range	2kg-37.5kg
Resistance Increment	0.1kg
Resistance Levels	36
Product Dimension	560×445×2340 (mm) 22.0×17.5×92.1 (in)
Net Weight	150kg/330.7lbs
Fixed	Can be fixed to the floor or wall

STRENGTH
HSP



Shape		Optional Accessory Package	Product Dimension
HSPR01-HALF RACK		HSP7011 ADJUSTABLE DOCK' N LOCK BENCH HSPR21 RACK CONNECTOR-MULTI-GRIP HSPR31 PLATFORM(6FT*8FT) HSPR41 STEP ATTACHMENT HSPR42 DIP ATTACHMENT HZ7008 BATTLE ROPE ATTACHMENT IZ7012 PIVOT SE5043 SPOTTER STANDS	1750 × 1470 × 2480(mm) 68.9 × 57.9 × 97.6(in)
HSPR02-POWER RACK		HSP7011 ADJUSTABLE DOCK' N LOCK BENCH HSPR21 RACK CONNECTOR-MULTI-GRIP HSPR32 PLATFORM(8FT*8FT) HSPR41 STEP ATTACHMENT HSPR42 DIP ATTACHMENT HZ7008 BATTLE ROPE ATTACHMENT IZ7012 PIVOT SE5043 SPOTTER STANDS	2085 × 1750 × 2480(mm) 82.1 × 68.9 × 97.6(in)
HSPR03-DOUBLE HALF RACK		HSP7011 ADJUSTABLE DOCK' N LOCK BENCH HSPR21 RACK CONNECTOR-MULTI-GRIP HSPR31 PLATFORM(6FT*8FT) HSPR41 STEP ATTACHMENT HSPR42 DIP ATTACHMENT HZ7008 BATTLE ROPE ATTACHMENT IZ7012 PIVOT SE5043 SPOTTER STANDS	2595 × 1750 × 2480(mm) 102.2 × 57.9 × 97.6(in)

STRENGTH
HSP



HSPR31 PLATFORM(6FT*8FT)

PRODUCT DIMENSION	3140 × 2560 × 76.2 (mm) 123.6 × 100.8 × 3.0 (in)
PRODUCT WEIGHT	263.5kg/580.9lbs



HSPR32 PLATFORM(8FT*8FT)

PRODUCT DIMENSION	4355 × 2560 × 76.2 (mm) 171.5 × 100.8 × 3.0 (in)
PRODUCT WEIGHT	263.5kg/580.9lbs



ZONE360
Group Functional Training Solutions



ZONE





	Shape	Package	Product Dimension	Optional Accessory Package
IZ-S		IZ7001 Stretching Station IZ7003 Rebounder Station IZ7011 S-joint	3250×1120×2364(mm) 128×44.1×93.1(in)	IZ7009 Step Attachment IZ7010 DIP Attachment IZ7012 Pivot Kettlebell, Battle Rope, TRX, Medicine ball, Bar, Plate etc.
IZ-L		IZ7001 Stretching Station IZ7002 Boxing Station IZ7008 Stair-1	4794×1654×2446(mm) 188.7×65.1×96.3(in)	IZ7009 Step Attachment IZ7010 DIP Attachment IZ7012 Pivot Kettlebell, Punching Bag, Battle Rope, TRX, Medicine ball, Bar, Plate etc.
IZ-L		IZ7001 Stretching Station IZ7002 Boxing Station IZ7003 Rebounder Station IZ7008 Stair-1 IZ7011 S-joint	4794×3250×2446(mm) 188.7×128×96.3(in)	IZ7009 Step Attachment IZ7010 DIP Attachment IZ7012 Pivot Kettlebell, Punching Bag, Battle Rope, TRX, Medicine ball, Bar, Plate etc.
IZ-T		IZ7003 Rebounder Station IZ7004 Power Rack Station IZ7005 DAP Station IZ7006 Connector IZ7007 Stair-2	4694×3139×2446(mm) 184.8×123.6×96.3(in)	IZ7012 Pivot Kettlebell, Battle Rope, TRX, Medicine ball, Bar, Plate etc.
IZ-O		IZ7001 Stretching Station IZ7002 Boxing Station IZ7003 Rebounder Station IZ7005 DAP Station IZ7014 Stair-3	3637×3630×2446(mm) 141.3×136.7×96.3(in)	IZ7009 Step Attachment IZ7010 DIP Attachment IZ7012 Pivot Kettlebell, Punching Bag, Battle Rope, TRX, Medicine ball, Bar, Plate etc.
IZ-H		IZ7001 Stretching Station IZ7002 Boxing Station IZ7003 Rebounder Station IZ7005 DAP Station IZ7015 Stair-4	4137×2880×2449(mm) 162.9×113.4×96.4(in)	IZ7009 Step Attachment IZ7010 DIP Attachment IZ7012 Pivot Kettlebell, Punching Bag, Battle Rope, TRX, Medicine ball, Bar, Plate etc.
IZ-X		IZ7002 Boxing Station IZ7003 Rebounder Station IZ7004 Power Rack Station IZ7005 DAP Station IZ7006 Connector IZ7007 Stair-2×2	7489×3139×2446(mm) 294.8×123.6×96.3(in)	IZ7009 Step Attachment IZ7010 DIP Attachment IZ7012 Pivot Kettlebell, Punching Bag, Battle Rope, TRX, Medicine ball, Bar, Plate etc.






CASES



CASES









CASES



CASES







Impulse Cardiovascular Equipment Limited Warranty

Description	Warranty
Frame	7 Years
Treadmill AC Motor	3 Years
Treadmill DC Motor, Structural Moving Parts	2 Years
Display PCB, Motor Controller, Generator, EMS, ECB Brake	2 Years
Key Pad, Durable Wear Parts	1 Year

Impulse Strength Training Equipment Limited Warranty

Description	Warranty
Structural Steel Frame	Lifetime
Rotary Bearings, Weight Stacks, Pulleys, Guide Rods, Structural Moving Parts	2 Years
Cable, Linear Bearings, Springs	1 Year
Upholstery, Handgrips, All Other	
Items Not Listed	6 Months

* Conditions and Restrictions Applied.



im impulse

THE WAY TO WELLNESS

All text, picture and data in this catalogue are for reference only. If there is inconsistency between the information and the actual product, the actual product shall govern. Impulse reserves all rights to explain any error or difference in this catalogue.

The trademark property is copyright including "Sagring", "Wahoo" and "Polar" have been maintained in Impulse sports catalogues belong to their respective trademark registers.

Statement: impulse branding is upgrading and during that time, **im impulse** and **impulse** are both trademarks of impulse products. Thank you for your support as always.